

MEMORANDUM

Attached are the Accrual and Retention Reports for HPTN 052.

The following table provides the activation date for the run-in phase and the full study for each site.

Site	Run-in Activation Date	Full Study Activation Date
Botswana: Gaborone	N/A	10MAR2009
Brazil: Porto Alegre	20DEC2005	23OCT2007
Brazil: Rio de Janeiro	09SEP2005	24OCT2007
India: Chennai	07NOV2005	28JUN2007
India: Pune	17JUN2005	14JUN2007
Kenya: Kisumu	N/A	19OCT2009
Malawi: Blantyre	12AUG2005	20DEC2007
Malawi: Lilongwe	23MAR2005	21NOV2007
South Africa: Johannesburg	N/A	02APR2008
South Africa: Soweto	N/A	09MAY2009
Thailand: Chiang Mai	07JUN2005	21SEP2007
United States: Boston	24FEB2005	N/A
Zimbabwe: Harare	01DEC2005	10OCT2007

This report includes the following information:

1. Accrual Report

- Summary table showing the monthly site accrual in relation to monthly site accrual targets. Note the following for this table:
 - Includes sites that have been activated for the full-study and have enrolled participants. Boston, US is not participating in the full study and is only included in the total column of the accrual table and the graph of all sites.
 - Eleven sites are currently enrolling for the full-study, therefore, approximately 1750 couples are expected to be enrolled at these sites. In Brazil, Porto Alegre and Rio de Janeiro split the enrollment target in a 1:2 ratio.
 - Under each site, the “Month” column shows the number of couples actually enrolled (as numerator) and the number of couples targeted to enroll (as denominator) in a given calendar month. Percentages of actual vs. target enrollment are given in parentheses.
 - The “Cumulative” column describes the number of couples actually enrolled and the number of couples targeted to enroll up to a given calendar month.
- Graphs displaying the cumulative number of participants enrolled and the cumulative accrual target across all sites, then for each site. Note the following for the accrual graphs:
 - The graphs cover the time period from June 2007, when the first site began enrolling for the full-study, to December 2009, the projected enrollment completion date.
 - The black solid line represents the target accrual; the red solid line represents 75% of the target accrual; and the black dotted line represents the actual accrual.

- The cumulative target and actual accrual along with their ratio are shown monthly at the bottom of the graph.

2. Retention Report

- Summary tables showing retention for index participants and partners by site for each quarterly visit, respectively.
- Participants are not considered “expected” for a visit until after the target visit window has closed. Retention consists of participants who completed visits or reached endpoint (death or HIV infection). Partners are linked to their index participants in the partner retention table. If the index is still active, the visits after a partner termination due to a reason other than death or HIV infection will be treated as lost to follow-up in the table. If a new partner is enrolled, s/he will be counted in the retention calculation from the visit of enrollment.

This report will be updated daily, unless otherwise determined by the team.

Please feel free to contact the HPTN 052 Project Manager at SCHARP, Leslie Cottle (lcottle@scharp.org) with any questions you may have regarding this report.

Thank you.

HPTN052 – ART in the Prevention of HIV in Serodiscordant Couples
Table 1 – Number of Couples Accrued and Targeted per Calendar Month (Cumulative)

		South America					
		Porto Alegre, Brazil		Rio de Janeiro, Brazil		Total	
Calendar Month	Month	Cumulative	Month	Cumulative	Month	Cumulative	
Run-in	–	82/82 (100.0%)	–	5/5 (100.0%)	–	15/15 (100.0%)	
JUN07	1/4 (25.0%)	84/86 (97.7%)					
JUL07	14/10 (140.0%)	98/96 (102.1%)					
AUG07	14/10 (140.0%)	112/106 (105.7%)					
SEP07	13/10 (130.0%)	125/116 (107.8%)					
OCT07	16/14 (114.3%)	141/130 (108.5%)					
NOV07	36/27 (133.3%)	177/157 (112.7%)	4/2 (200.0%)	9/7 (128.6%)	9/7 (128.6%)	24/22 (109.1%)	
DEC07	34/33 (103.0%)	211/190 (111.1%)	1/2 (50.0%)	10/9 (111.1%)	7/7 (100.0%)	31/29 (106.9%)	
JAN08	30/38 (78.9%)	241/228 (105.7%)	0/2 (0.0%)	10/11 (90.9%)	9/7 (128.6%)	40/36 (111.1%)	
FEB08	39/37 (105.4%)	280/265 (105.7%)	1/2 (50.0%)	11/13 (84.6%)	8/6 (133.3%)	48/42 (114.3%)	
MAR08	53/39 (135.9%)	333/304 (109.5%)	1/2 (50.0%)	12/15 (80.0%)	13/6 (216.7%)	61/48 (127.1%)	
APR08	45/39 (115.4%)	378/343 (110.2%)	1/2 (50.0%)	13/17 (76.5%)	10/6 (166.7%)	71/54 (131.5%)	
MAY08	50/41 (122.0%)	428/384 (111.5%)	6/3 (200.0%)	19/20 (95.0%)	8/6 (133.3%)	79/60 (131.7%)	
JUN08	45/42 (107.1%)	473/426 (111.0%)	1/3 (33.3%)	20/23 (87.0%)	17/6 (283.3%)	96/66 (145.5%)	
JUL08	53/42 (126.2%)	526/468 (112.4%)	5/3 (166.7%)	25/26 (96.2%)	9/6 (150.0%)	105/72 (145.8%)	
AUG08	42/45 (93.3%)	568/513 (110.7%)	5/3 (166.7%)	30/29 (103.4%)	9/6 (150.0%)	114/78 (146.2%)	
SEP08	58/45 (128.9%)	626/558 (112.2%)	10/3 (333.3%)	40/32 (125.0%)	4/6 (66.7%)	118/84 (140.5%)	
OCT08	51/48 (106.3%)	677/606 (111.7%)	5/3 (166.7%)	45/35 (128.6%)	9/6 (150.0%)	127/90 (141.1%)	
NOV08	29/49 (59.2%)	706/655 (107.8%)	3/3 (100.0%)	48/38 (126.3%)	4/6 (66.7%)	131/96 (136.5%)	
DEC08	42/49 (85.7%)	748/704 (106.3%)	2/3 (66.7%)	50/41 (122.0%)	4/6 (66.7%)	135/102 (132.4%)	
JAN09	46/49 (93.9%)	794/753 (105.4%)	2/3 (66.7%)	52/44 (118.2%)	7/6 (116.7%)	142/108 (131.5%)	
FEB09	53/49 (108.2%)	847/802 (105.6%)	1/3 (33.3%)	53/47 (112.8%)	2/5 (40.0%)	144/113 (127.4%)	
MAR09	78/51 (152.9%)	925/853 (108.4%)	6/3 (200.0%)	59/50 (118.0%)	0/5 (0.0%)	144/118 (122.0%)	
APR09	66/56 (117.9%)	991/909 (109.0%)	5/3 (166.7%)	64/53 (120.8%)	3/5 (60.0%)	147/123 (119.5%)	
MAY09	67/56 (119.6%)	1058/965 (109.6%)	3/3 (100.0%)	67/56 (119.6%)	3/5 (60.0%)	150/128 (117.2%)	
JUN09	82/60 (136.7%)	1140/1025 (111.2%)	5/3 (166.7%)	72/59 (122.0%)	4/5 (80.0%)	154/133 (115.8%)	
JUL09	66/64 (103.1%)	1206/1089 (110.7%)	1/3 (33.3%)	73/62 (117.7%)	6/5 (120.0%)	160/138 (115.9%)	
AUG09	72/64 (112.5%)	1278/1153 (110.8%)	2/3 (66.7%)	75/65 (115.4%)	1/5 (20.0%)	161/143 (112.6%)	
SEP09	66/64 (103.1%)	1344/1217 (110.4%)	3/3 (100.0%)	78/68 (114.7%)	3/5 (60.0%)	164/148 (110.8%)	
OCT09	57/71 (80.3%)	1401/1288 (108.8%)	3/3 (100.0%)	81/71 (114.1%)	6/5 (120.0%)	170/153 (111.1%)	
NOV09	65/73 (89.0%)	1466/1361 (107.7%)	2/3 (66.7%)	83/74 (112.2%)	2/5 (40.0%)	172/158 (108.9%)	
DEC09	71/76 (93.4%)	1537/1437 (107.0%)	2/3 (66.7%)	85/77 (110.4%)	2/5 (40.0%)	174/163 (106.7%)	
JAN10	58/77 (75.3%)	1595/1514 (105.4%)	2/3 (66.7%)	87/80 (108.8%)	2/5 (40.0%)	176/168 (104.8%)	
FEB10	68/78 (87.2%)	1663/1592 (104.5%)	0/3 (0.0%)	87/83 (104.8%)	4/5 (80.0%)	180/173 (104.0%)	
MAR10	75/79 (94.9%)	1738/1671 (104.0%)	2/3 (66.7%)	89/86 (103.5%)	4/5 (80.0%)	184/178 (103.4%)	
APR10	25/79 (31.6%)	1763/1750 (100.7%)	1/3 (33.3%)	90/89 (101.1%)	2/5 (40.0%)	186/183 (101.6%)	

Note: two participants enrolled at Boston, US in the run-in phase. Boston is not participating in the full study and is only included in the total column in this table.

HPTN052 – ART in the Prevention of HIV in Serodiscordant Couples
Table 1 – Number of Couples Accrued and Targeted per Calendar Month (Cumulative)

Calendar Month	Asia					
	Chennai, India		Pune, India		Chiang Mai, Thailand	
	Month	Cumulative	Month	Cumulative	Month	Cumulative
Run-in	–	10/10 (100.0%)	–	10/10 (100.0%)	–	10/10 (100.0%)
JUN07			1/4 (25.0%)	11/14 (78.6%)		
JUL07	11/6 (183.3%)	21/16 (131.3%)	3/4 (75.0%)	14/18 (77.8%)		
AUG07	6/6 (100.0%)	27/22 (122.7%)	8/4 (200.0%)	22/22 (100.0%)		
SEP07	6/6 (100.0%)	33/28 (117.9%)	7/4 (175.0%)	29/26 (111.5%)		
OCT07	5/6 (83.3%)	38/34 (111.8%)	6/4 (150.0%)	35/30 (116.7%)	5/4 (125.0%)	15/14 (107.1%)
NOV07	8/6 (133.3%)	46/40 (115.0%)	3/4 (75.0%)	38/34 (111.8%)	6/4 (150.0%)	21/18 (116.7%)
DEC07	7/6 (116.7%)	53/46 (115.2%)	4/4 (100.0%)	42/38 (110.5%)	4/4 (100.0%)	25/22 (113.6%)
JAN08	5/6 (83.3%)	58/52 (111.5%)	6/4 (150.0%)	48/42 (114.3%)	1/4 (25.0%)	26/26 (100.0%)
FEB08	9/6 (150.0%)	67/58 (115.5%)	3/4 (75.0%)	51/46 (110.9%)	2/4 (50.0%)	28/30 (93.3%)
MAR08	21/7 (300.0%)	88/65 (135.4%)	4/4 (100.0%)	55/50 (110.0%)	4/3 (133.3%)	32/33 (97.0%)
APR08	12/7 (171.4%)	100/72 (138.9%)	7/4 (175.0%)	62/54 (114.8%)	4/3 (133.3%)	36/36 (100.0%)
MAY08	8/7 (114.3%)	108/79 (136.7%)	5/4 (125.0%)	67/58 (115.5%)	3/3 (100.0%)	39/39 (100.0%)
JUN08	4/7 (57.1%)	112/86 (130.2%)	3/5 (60.0%)	70/63 (111.1%)	2/3 (66.7%)	41/42 (97.6%)
JUL08	10/7 (142.9%)	122/93 (131.2%)	10/5 (200.0%)	80/68 (117.6%)	2/3 (66.7%)	43/45 (95.6%)
AUG08	3/7 (42.9%)	125/100 (125.0%)	2/5 (40.0%)	82/73 (112.3%)	0/3 (0.0%)	43/48 (89.6%)
SEP08	10/7 (142.9%)	135/107 (126.2%)	5/5 (100.0%)	87/78 (111.5%)	2/3 (66.7%)	45/51 (88.2%)
OCT08	8/7 (114.3%)	143/114 (125.4%)	8/5 (160.0%)	95/83 (114.5%)	4/3 (133.3%)	49/54 (90.7%)
NOV08	4/7 (57.1%)	147/121 (121.5%)	4/5 (80.0%)	99/88 (112.5%)	2/3 (66.7%)	51/57 (89.5%)
DEC08	3/7 (42.9%)	150/128 (117.2%)	4/5 (80.0%)	103/93 (110.8%)	6/3 (200.0%)	57/60 (95.0%)
JAN09	4/7 (57.1%)	154/135 (114.1%)	3/5 (60.0%)	106/98 (108.2%)	2/3 (66.7%)	59/63 (93.7%)
FEB09	4/7 (57.1%)	158/142 (111.3%)	4/5 (80.0%)	110/103 (106.8%)	4/3 (133.3%)	63/66 (95.5%)
MAR09	11/7 (157.1%)	169/149 (113.4%)	5/5 (100.0%)	115/108 (106.5%)	7/3 (233.3%)	70/69 (101.4%)
APR09	7/7 (100.0%)	176/156 (112.8%)	5/5 (100.0%)	120/113 (106.2%)	2/3 (66.7%)	72/72 (100.0%)
MAY09	9/7 (128.6%)	185/163 (113.5%)	2/5 (40.0%)	122/118 (103.4%)	2/3 (66.7%)	74/75 (98.7%)
JUN09	7/7 (100.0%)	192/170 (112.9%)	9/5 (180.0%)	131/123 (106.5%)	3/3 (100.0%)	77/78 (98.7%)
JUL09	9/8 (112.5%)	201/178 (112.9%)	5/5 (100.0%)	136/128 (106.3%)	5/3 (166.7%)	82/81 (101.2%)
AUG09	6/8 (75.0%)	207/186 (111.3%)	5/5 (100.0%)	141/133 (106.0%)	6/3 (200.0%)	88/84 (104.8%)
SEP09	11/8 (137.5%)	218/194 (112.4%)	4/5 (80.0%)	145/138 (105.1%)	5/3 (166.7%)	93/87 (106.9%)
OCT09	9/8 (112.5%)	227/202 (112.4%)	3/5 (60.0%)	148/143 (103.5%)	1/3 (33.3%)	94/90 (104.4%)
NOV09	12/8 (150.0%)	239/210 (113.8%)	5/5 (100.0%)	153/148 (103.4%)	2/3 (66.7%)	96/93 (103.2%)
DEC09	11/8 (137.5%)	250/218 (114.7%)	1/5 (20.0%)	154/153 (100.7%)	4/3 (133.3%)	100/96 (104.2%)
JAN10	0/8 (0.0%)	250/226 (110.6%)	6/5 (120.0%)	160/158 (101.3%)	0/3 (0.0%)	100/99 (101.0%)
FEB10	0/8 (0.0%)	250/234 (106.8%)	8/5 (160.0%)	168/163 (103.1%)	4/3 (133.3%)	104/102 (102.0%)
MAR10	0/8 (0.0%)	250/242 (103.3%)	6/5 (120.0%)	174/168 (103.6%)	1/3 (33.3%)	105/105 (100.0%)
APR10	0/8 (0.0%)	250/250 (100.0%)	1/5 (20.0%)	175/173 (101.2%)	1/3 (33.3%)	106/108 (98.1%)

Note: two participants enrolled at Boston, US in the run-in phase. Boston is not participating in the full study and is only included in the total column in this table.

HPTN052 – ART in the Prevention of HIV in Serodiscordant Couples
Table 1 – Number of Couples Accrued and Targeted per Calendar Month (Cumulative)

Calendar Month	Africa							
	Gaborone, Botswana		Kisumu, Kenya		Blantyre, Malawi		Lilongwe, Malawi	
	Month	Cumulative	Month	Cumulative	Month	Cumulative	Month	Cumulative
Run-in	-	-	-	-	-	10/10 (100.0%)		10/10 (100.0%)
JUN07								
JUL07								
AUG07								
SEP07								
OCT07								
NOV07								
DEC07							3/6 (50.0%)	13/16 (81.3%)
JAN08					5/5 (100.0%)	15/15 (100.0%)	3/6 (50.0%)	16/22 (72.7%)
FEB08					8/5 (160.0%)	23/20 (115.0%)	4/6 (66.7%)	20/28 (71.4%)
MAR08					1/5 (20.0%)	24/25 (96.0%)	2/6 (33.3%)	22/34 (64.7%)
APR08					1/5 (20.0%)	25/30 (83.3%)	4/6 (66.7%)	26/40 (65.0%)
MAY08					4/5 (80.0%)	29/35 (82.9%)	10/6 (166.7%)	36/46 (78.3%)
JUN08					1/5 (20.0%)	30/40 (75.0%)	9/6 (150.0%)	45/52 (86.5%)
JUL08					3/5 (60.0%)	33/45 (73.3%)	8/6 (133.3%)	53/58 (91.4%)
AUG08					9/8 (112.5%)	42/53 (79.2%)	7/6 (116.7%)	60/64 (93.8%)
SEP08					11/8 (137.5%)	53/61 (86.9%)	11/6 (183.3%)	71/70 (101.4%)
OCT08					3/8 (37.5%)	56/69 (81.2%)	9/7 (128.6%)	80/77 (103.9%)
NOV08					3/8 (37.5%)	59/77 (76.6%)	7/8 (87.5%)	87/85 (102.4%)
DEC08					6/8 (75.0%)	65/85 (76.5%)	15/8 (187.5%)	102/93 (109.7%)
JAN09					6/8 (75.0%)	71/93 (76.3%)	6/8 (75.0%)	108/101 (106.9%)
FEB09					9/8 (112.5%)	80/101 (79.2%)	9/8 (112.5%)	117/109 (107.3%)
MAR09					16/9 (177.8%)	96/110 (87.3%)	20/8 (250.0%)	137/117 (117.1%)
APR09	6/5 (120.0%)	6/5 (120.0%)			15/9 (166.7%)	111/119 (93.3%)	13/8 (162.5%)	150/125 (120.0%)
MAY09	10/5 (200.0%)	16/10 (160.0%)			16/9 (177.8%)	127/128 (99.2%)	9/8 (112.5%)	159/133 (119.5%)
JUN09	6/5 (120.0%)	22/15 (146.7%)			13/9 (144.4%)	140/137 (102.2%)	16/8 (200.0%)	175/141 (124.1%)
JUL09	4/5 (80.0%)	26/20 (130.0%)			16/9 (177.8%)	156/146 (106.8%)	8/11 (72.7%)	183/152 (120.4%)
AUG09	5/5 (100.0%)	31/25 (124.0%)			22/9 (244.4%)	178/155 (114.8%)	15/11 (136.4%)	198/163 (121.5%)
SEP09	1/5 (20.0%)	32/30 (106.7%)			7/9 (77.8%)	185/164 (112.8%)	10/11 (90.9%)	208/174 (119.5%)
OCT09	5/5 (100.0%)	37/35 (105.7%)	0/7 (0.0%)	0/7 (0.0%)	8/9 (88.9%)	193/173 (111.6%)	9/11 (81.8%)	217/185 (117.3%)
NOV09	6/6 (100.0%)	43/41 (104.9%)	8/8 (100.0%)	9/15 (60.0%)	7/9 (77.8%)	200/182 (109.9%)	8/11 (72.7%)	225/196 (114.8%)
DEC09	7/6 (116.7%)	50/47 (106.4%)	10/8 (125.0%)	19/23 (82.6%)	7/9 (77.8%)	207/191 (108.4%)	9/11 (81.8%)	234/207 (113.0%)
JAN10	5/6 (83.3%)	55/53 (103.8%)	7/9 (77.8%)	26/32 (81.3%)	7/9 (77.8%)	214/200 (107.0%)	15/11 (136.4%)	249/218 (114.2%)
FEB10	9/7 (128.6%)	64/60 (106.7%)	13/9 (144.4%)	39/41 (95.1%)	4/9 (44.4%)	218/209 (104.3%)	2/11 (18.2%)	251/229 (109.6%)
MAR10	10/7 (142.9%)	74/67 (110.4%)	15/9 (166.7%)	54/50 (108.0%)	11/10 (110.0%)	229/219 (104.6%)	0/11 (0.0%)	251/240 (104.6%)
APR10	3/7 (42.9%)	77/74 (104.1%)	6/9 (66.7%)	60/59 (101.7%)	1/10 (10.0%)	230/229 (100.4%)	0/11 (0.0%)	251/251 (100.0%)


Note: two participants enrolled at Boston, US in the run-in phase. Boston is not participating in the full study and is only included in the total column in this table.

HPTN052 – ART in the Prevention of HIV in Serodiscordant Couples
Table 1 – Number of Couples Accrued and Targeted per Calendar Month (Cumulative)

Calendar Month	Africa					
	Johannesburg, South Africa		Soweto, South Africa		Harare, Zimbabwe	
	Month	Cumulative	Month	Cumulative	Month	Cumulative
Run-in	-	-	-	-	-	10/10 (100.0%)
JUN07						
JUL07						
AUG07						
SEP07						
OCT07						
NOV07					6/4 (150.0%)	16/14 (114.3%)
DEC07					8/4 (200.0%)	24/18 (133.3%)
JAN08					1/4 (25.0%)	25/22 (113.6%)
FEB08					4/4 (100.0%)	29/26 (111.5%)
MAR08					7/6 (116.7%)	36/32 (112.5%)
APR08					6/6 (100.0%)	42/38 (110.5%)
MAY08	1/1 (100.0%)	1/1 (100.0%)			5/6 (83.3%)	47/44 (106.8%)
JUN08	0/1 (0.0%)	1/2 (50.0%)			8/6 (133.3%)	55/50 (110.0%)
JUL08	3/1 (300.0%)	4/3 (133.3%)			3/6 (50.0%)	58/56 (103.6%)
AUG08	3/1 (300.0%)	7/4 (175.0%)			4/6 (66.7%)	62/62 (100.0%)
SEP08	1/1 (100.0%)	8/5 (160.0%)			4/6 (66.7%)	66/68 (97.1%)
OCT08	4/1 (400.0%)	12/6 (200.0%)			1/8 (12.5%)	67/76 (88.2%)
NOV08	0/1 (0.0%)	12/7 (171.4%)			2/8 (25.0%)	69/84 (82.1%)
DEC08	1/1 (100.0%)	13/8 (162.5%)			1/8 (12.5%)	70/92 (76.1%)
JAN09	2/1 (200.0%)	15/9 (166.7%)			14/8 (175.0%)	84/100 (84.0%)
FEB09	4/2 (200.0%)	19/11 (172.7%)			16/8 (200.0%)	100/108 (92.6%)
MAR09	1/2 (50.0%)	20/13 (153.8%)			12/9 (133.3%)	112/117 (95.7%)
APR09	3/2 (150.0%)	23/15 (153.3%)			7/9 (77.8%)	119/126 (94.4%)
MAY09	2/2 (100.0%)	25/17 (147.1%)			11/9 (122.2%)	130/135 (96.3%)
JUN09	2/2 (100.0%)	27/19 (142.1%)	2/4 (50.0%)	2/4 (50.0%)	15/9 (166.7%)	145/144 (100.7%)
JUL09	1/2 (50.0%)	28/21 (133.3%)	0/4 (0.0%)	2/8 (25.0%)	11/9 (122.2%)	156/153 (102.0%)
AUG09	4/2 (200.0%)	32/23 (139.1%)	0/4 (0.0%)	2/12 (16.7%)	6/9 (66.7%)	162/162 (100.0%)
SEP09	4/2 (200.0%)	36/25 (144.0%)	2/4 (50.0%)	4/16 (25.0%)	16/9 (177.8%)	178/171 (104.1%)
OCT09	2/2 (100.0%)	38/27 (140.7%)	1/4 (25.0%)	5/20 (25.0%)	10/9 (111.1%)	188/180 (104.4%)
NOV09	1/2 (50.0%)	39/29 (134.5%)	4/4 (100.0%)	9/24 (37.5%)	8/9 (88.9%)	196/189 (103.7%)
DEC09	3/3 (100.0%)	42/32 (131.3%)	10/5 (200.0%)	19/29 (65.5%)	5/10 (50.0%)	201/199 (101.0%)
JAN10	0/3 (0.0%)	42/35 (120.0%)	9/5 (180.0%)	28/34 (82.4%)	5/10 (50.0%)	206/209 (98.6%)
FEB10	1/3 (33.3%)	43/38 (113.2%)	11/5 (220.0%)	39/39 (100.0%)	12/10 (120.0%)	218/219 (99.5%)
MAR10	1/3 (33.3%)	44/41 (107.3%)	9/5 (180.0%)	48/44 (109.1%)	16/10 (160.0%)	234/229 (102.2%)
APR10	2/3 (66.7%)	46/44 (104.5%)	2/5 (40.0%)	50/49 (102.0%)	6/10 (60.0%)	240/239 (100.4%)


Note: two participants enrolled at Boston, US in the run-in phase. Boston is not participating in the full study and is only included in the total column in this table.

HPTN052 – ART in the Prevention of HIV in Serodiscordant Couples
Figure 1 – Target vs. Actual Cumulative Accrual by Calendar Month across All Sites




N target accrued	86	96	106	116	130	157	190	228	265	304	343	384	426	468	513	558	606	655	704	753	802	853	909	965	1025	1089	1153	1217	1288	1361	1437	1514	1592	1671	1750
N actual accrued	84	98	112	125	141	177	211	241	280	333	378	428	473	526	568	626	677	706	748	794	847	925	991	1058	1140	1206	1278	1344	1401	1466	1537	1595	1663	1738	1763
%	98%	102%	106%	108%	108%	113%	111%	106%	106%	110%	110%	111%	111%	112%	111%	112%	112%	108%	106%	105%	106%	108%	109%	110%	111%	111%	111%	110%	109%	108%	107%	105%	104%	104%	101%

HPTN052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run: August 31, 2015
Enrollment Graph: Indexes
Brazil: Porto Alegre



	JUN07	JUL07	AUG07	SEP07	OCT07	NOV07	DEC07	JAN08	FEB08	MAR08	APR08	MAY08	JUN08	JUL08	AUG08	SEP08	OCT08	NOV08	DEC08	JAN09	FEB09	MAR09	APR09	MAY09	JUN09	JUL09	AUG09	SEP09	OCT09	NOV09	DEC09	JAN10	FEB10	MAR10	APR10
N target accrued	7	9	11	13	15	17	20	23	26	29	32	35	38	41	44	47	50	53	56	59	62	65	68	71	74	77	80	83	86	89					
N actual accrued	9	10	10	11	12	13	19	20	25	30	40	45	48	50	52	53	59	64	67	72	73	75	78	81	83	85	87	87	89	90					
%	129%	111%	91%	85%	80%	76%	95%	87%	96%	103%	125%	129%	126%	122%	118%	113%	118%	121%	120%	122%	118%	115%	115%	114%	112%	110%	109%	105%	103%	101%					


HPTN052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run: August 31, 2015
Enrollment Graph: Indexes
South Africa: Johannesburg



N target accrued
 N actual accrued
 %

1	2	3	4	5	6	7	8	9	11	13	15	17	19	21	23	25	27	29	32	35	38	41	44
1	1	4	7	8	12	12	13	15	19	20	23	25	27	28	32	36	38	39	42	42	43	44	46
100%	50%	133%	75%	60%	200%	71%	62%	67%	73%	54%	53%	47%	42%	33%	39%	44%	41%	34%	31%	20%	13%	07%	05%


HPTN052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run: August 31, 2015
Enrollment Graph: Indexes
South Africa: Soweto



N target accrued
 N actual accrued
 %


4	8	12	16	20	24	29	34	39	44	49
2	2	2	4	5	9	19	28	39	48	50
50%	25%	17%	25%	25%	38%	66%	82%	100%	109%	102%

HPTN052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run: August 31, 2015
Enrollment Graph: Indexes
Zimbabwe: Harare



	JUN07	JUL07	AUG07	SEP07	OCT07	NOV07	DEC07	JAN08	FEB08	MAR08	APR08	MAY08	JUN08	JUL08	AUG08	SEP08	OCT08	NOV08	DEC08	JAN09	FEB09	MAR09	APR09	MAY09	JUN09	JUL09	AUG09	SEP09	OCT09	NOV09	DEC09	JAN10	FEB10	MAR10	APR10
N target accrued	14	18	22	26	32	38	44	50	56	62	68	76	84	92	100	108	117	126	135	144	153	162	171	180	189	199	209	219	229	239					
N actual accrued	16	24	25	29	36	42	47	55	58	62	66	67	69	70	84	100	112	119	130	145	156	162	178	188	196	201	206	218	234	240					
%	114%	33%	14%	12%	12%	11%	07%	10%	04%	00%	97%	88%	82%	76%	84%	93%	96%	94%	96%	101%	02%	00%	04%	04%	04%	01%	99%	100%	02%	00%					


HPTN052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run: August 31, 2015
Enrollment Graph: Indexes
Brazil: Rio de Janeiro



Calendar Month


N target accrued	22	29	36	42	48	54	60	66	72	78	84	90	96	102	108	113	118	123	128	133	138	143	148	153	158	163	168	173	178	183
N actual accrued	24	31	40	48	61	71	79	96	105	114	118	127	131	135	142	144	144	147	150	154	160	161	164	170	172	174	176	180	184	186
%	109%	107%	111%	114%	127%	131%	132%	145%	146%	146%	140%	141%	136%	132%	131%	127%	122%	120%	117%	116%	116%	113%	111%	111%	109%	107%	105%	104%	103%	102%

HPTN052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run: August 31, 2015
Enrollment Graph: Indexes
India: Chennai




N target accrued	16	22	28	34	40	46	52	58	65	72	79	86	93	100	107	114	121	128	135	142	149	156	163	170	178	186	194	202	210	218	226	234	242	250	
N actual accrued	21	27	33	38	46	53	58	67	88	100	108	112	122	125	135	143	147	150	154	158	169	176	185	192	201	207	218	227	239	250	250	250	250	250	
%	131%	23%	18%	12%	15%	15%	12%	16%	35%	39%	37%	30%	31%	25%	26%	25%	21%	17%	14%	11%	13%	13%	13%	13%	13%	13%	11%	12%	12%	14%	15%	11%	07%	03%	00%

HPTN052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run: August 31, 2015
Enrollment Graph: Indexes
India: Pune




	JUN07	JUL07	AUG07	SEP07	OCT07	NOV07	DEC07	JAN08	FEB08	MAR08	APR08	MAY08	JUN08	JUL08	AUG08	SEP08	OCT08	NOV08	DEC08	JAN09	FEB09	MAR09	APR09	MAY09	JUN09	JUL09	AUG09	SEP09	OCT09	NOV09	DEC09	JAN10	FEB10	MAR10	APR10
N target accrued	14	18	22	26	30	34	38	42	46	50	54	58	63	68	73	78	83	88	93	98	103	108	113	118	123	128	133	138	143	148	153	158	163	168	173
N actual accrued	11	14	22	29	35	38	42	48	51	55	62	67	70	80	82	87	95	99	103	106	110	115	120	122	131	136	141	145	148	153	154	160	168	174	175
%	79%	78%	100%	12%	17%	12%	11%	14%	11%	10%	15%	16%	11%	18%	12%	12%	14%	12%	11%	08%	07%	06%	06%	03%	07%	06%	06%	05%	03%	03%	01%	01%	03%	04%	01%

HPTN052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run: August 31, 2015
Enrollment Graph: Indexes
Thailand: Chiang Mai



	JUN07	JUL07	AUG07	SEP07	OCT07	NOV07	DEC07	JAN08	FEB08	MAR08	APR08	MAY08	JUN08	JUL08	AUG08	SEP08	OCT08	NOV08	DEC08	JAN09	FEB09	MAR09	APR09	MAY09	JUN09	JUL09	AUG09	SEP09	OCT09	NOV09	DEC09	JAN10	FEB10	MAR10	APR10
N target accrued	14	18	22	26	30	33	36	39	42	45	48	51	54	57	60	63	66	69	72	75	78	81	84	87	90	93	96	99	102	105	108				
N actual accrued	15	21	25	26	28	32	36	39	41	43	43	45	49	51	57	59	63	70	72	74	77	82	88	93	94	96	100	100	104	105	106				
%	107%	17%	14%	100%	93%	97%	100%	100%	98%	96%	90%	88%	91%	89%	95%	94%	95%	101%	100%	99%	99%	101%	105%	107%	104%	103%	104%	101%	102%	100%	98%				


HPTN052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run: August 31, 2015
Enrollment Graph: Indexes
Botswana: Gaborone



N target accrued
 N actual accrued
 %

5	10	15	20	25	30	35	41	47	53	60	67	74
6	16	22	26	31	32	37	43	50	55	64	74	77
120%	60%	47%	30%	24%	07%	06%	05%	06%	04%	07%	10%	04%


HPTN052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run: August 31, 2015
Enrollment Graph: Indexes
Kenya, Kisumu



N target accrued
 N actual accrued
 %

7	15	23	32	41	50	59
0	9	19	26	39	54	60
0%	60%	83%	81%	95%	108%	102%

HPTN052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run: August 31, 2015
Enrollment Graph: Indexes
Malawi: Blantyre




Calendar Month

JUN07 JUL07 AUG07 SEP07 OCT07 NOV07 DEC07 JAN08 FEB08 MAR08 APR08 MAY08 JUN08 JUL08 AUG08 SEP08 OCT08 NOV08 DEC08 JAN09 FEB09 MAR09 APR09 MAY09 JUN09 JUL09 AUG09 SEP09 OCT09 NOV09 DEC09 JAN10 FEB10 MAR10 APR10

N target accrued	15	20	25	30	35	40	45	53	61	69	77	85	93	101	110	119	128	137	146	155	164	173	182	191	200	209	219	229	
N actual accrued	15	23	24	25	29	30	33	42	53	56	59	65	71	80	96	111	127	140	156	178	185	193	200	207	214	218	229	230	
%	100%	15%	96%	83%	83%	75%	73%	79%	87%	81%	77%	76%	76%	79%	87%	93%	99%	102%	107%	15%	13%	12%	10%	10%	08%	07%	04%	05%	00%

HPTN052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run: August 31, 2015
Enrollment Graph: Indexes
Malawi: Lilongwe



Calendar Month

N target accrued	16	22	28	34	40	46	52	58	64	70	77	85	93	101	109	117	125	133	141	152	163	174	185	196	207	218	229	240	251
N actual accrued	13	16	20	22	26	36	45	53	60	71	80	87	102	108	117	137	150	159	175	183	198	208	217	225	234	249	251	251	251
%	81%	73%	71%	65%	65%	78%	87%	91%	94%	101%	104%	102%	10%	107%	107%	17%	20%	20%	24%	20%	21%	20%	17%	15%	13%	14%	10%	05%	00%

HPTN 052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run Date – August 31, 2015
Visit Cutoff Date – August 24, 2015
Participant Retention, by Site and Visit – Indexes

		North/South America			Asia		
	Total	Porto Alegre, Brazil	Rio de Janeiro, Brazil	Boston, US	Chennai, India	Pune, India	Chiang Mai, Thailand
N	1763	90	186	2	250	175	106
Month 3 visit							
Expected ¹	1763	90	186	2	250	175	106
Retained ²	1722 (98%)	88 (98%)	183 (98%)	2 (100%)	236 (94%)	175 (100%)	105 (99%)
Who missed visit	32 (2%)	1 (1%)	3 (2%)	0 (0%)	9 (4%)	0 (0%)	1 (1%)
Lost to follow-up	9 (1%)	1 (1%)	0 (0%)	0 (0%)	5 (2%)	0 (0%)	0 (0%)
Month 6 visit							
Expected ¹	1763	90	186	2	250	175	106
Retained ²	1705 (97%)	89 (99%)	186 (100%)	2 (100%)	233 (93%)	174 (99%)	105 (99%)
Who missed visit	43 (2%)	0 (0%)	0 (0%)	0 (0%)	11 (4%)	1 (1%)	1 (1%)
Lost to follow-up	15 (1%)	1 (1%)	0 (0%)	0 (0%)	6 (2%)	0 (0%)	0 (0%)
Month 9 visit							
Expected ¹	1763	90	186	2	250	175	106
Retained ²	1697 (96%)	89 (99%)	184 (99%)	1 (50%)	233 (93%)	173 (99%)	105 (99%)
Who missed visit	44 (2%)	0 (0%)	2 (1%)	0 (0%)	10 (4%)	2 (1%)	0 (0%)
Lost to follow-up	22 (1%)	1 (1%)	0 (0%)	1 (50%)	7 (3%)	0 (0%)	1 (1%)
Month 12 visit							
Expected ¹	1763	90	186	2	250	175	106
Retained ²	1684 (96%)	89 (99%)	183 (98%)	1 (50%)	232 (93%)	173 (99%)	105 (99%)
Who missed visit	54 (3%)	0 (0%)	3 (2%)	0 (0%)	11 (4%)	2 (1%)	0 (0%)
Lost to follow-up	25 (1%)	1 (1%)	0 (0%)	1 (50%)	7 (3%)	0 (0%)	1 (1%)
Month 15 visit							
Expected ¹	1763	90	186	2	250	175	106
Retained ²	1683 (95%)	89 (99%)	180 (97%)	1 (50%)	234 (94%)	173 (99%)	105 (99%)
Who missed visit	55 (3%)	0 (0%)	6 (3%)	0 (0%)	9 (4%)	2 (1%)	0 (0%)
Lost to follow-up	25 (1%)	1 (1%)	0 (0%)	1 (50%)	7 (3%)	0 (0%)	1 (1%)

1. participants are not considered expected for a visit until after the allowable visit window has closed.

2. retained: completed visits or reached endpoint (death).

HPTN 052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run Date – August 31, 2015
Visit Cutoff Date – August 24, 2015
Participant Retention, by Site and Visit – Indexes

	North/South America				Asia		
	Total	Porto Alegre, Brazil	Rio de Janeiro, Brazil	Boston, US	Chennai, India	Pune, India	Chiang Mai, Thailand
Month 18 visit							
Expected ¹	1763	90	186	2	250	175	106
Retained ²	1665 (94%)	89 (99%)	181 (97%)	1 (50%)	226 (90%)	171 (98%)	105 (99%)
Who missed visit	69 (4%)	0 (0%)	4 (2%)	0 (0%)	16 (6%)	4 (2%)	0 (0%)
Lost to follow-up	29 (2%)	1 (1%)	1 (1%)	1 (50%)	8 (3%)	0 (0%)	1 (1%)
Month 21 visit							
Expected ¹	1763	90	186	2	250	175	106
Retained ²	1658 (94%)	89 (99%)	182 (98%)	0 (0%)	224 (90%)	171 (98%)	105 (99%)
Who missed visit	72 (4%)	0 (0%)	1 (1%)	0 (0%)	18 (7%)	4 (2%)	0 (0%)
Lost to follow-up	33 (2%)	1 (1%)	3 (2%)	2 (100%)	8 (3%)	0 (0%)	1 (1%)
Month 24 visit							
Expected ¹	1763	90	186	2	250	175	106
Retained ²	1655 (94%)	88 (98%)	179 (96%)	0 (0%)	225 (90%)	170 (97%)	105 (99%)
Who missed visit	73 (4%)	1 (1%)	3 (2%)	0 (0%)	17 (7%)	5 (3%)	0 (0%)
Lost to follow-up	35 (2%)	1 (1%)	4 (2%)	2 (100%)	8 (3%)	0 (0%)	1 (1%)
Month 27 visit							
Expected ¹	1763	90	186	2	250	175	106
Retained ²	1644 (93%)	88 (98%)	180 (97%)	0 (0%)	223 (89%)	170 (97%)	105 (99%)
Who missed visit	82 (5%)	1 (1%)	2 (1%)	0 (0%)	19 (8%)	5 (3%)	0 (0%)
Lost to follow-up	37 (2%)	1 (1%)	4 (2%)	2 (100%)	8 (3%)	0 (0%)	1 (1%)
Month 30 visit							
Expected ¹	1763	90	186	2	250	175	106
Retained ²	1642 (93%)	88 (98%)	181 (97%)	0 (0%)	223 (89%)	170 (97%)	104 (98%)
Who missed visit	82 (5%)	1 (1%)	1 (1%)	0 (0%)	19 (8%)	5 (3%)	1 (1%)
Lost to follow-up	39 (2%)	1 (1%)	4 (2%)	2 (100%)	8 (3%)	0 (0%)	1 (1%)

1. participants are not considered expected for a visit until after the allowable visit window has closed.

2. retained: completed visits or reached endpoint (death).

HPTN 052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run Date – August 31, 2015
Visit Cutoff Date – August 24, 2015
Participant Retention, by Site and Visit – Indexes

		North/South America			Asia		
	Total	Porto Alegre, Brazil	Rio de Janeiro, Brazil	Boston, US	Chennai, India	Pune, India	Chiang Mai, Thailand
Month 33 visit							
Expected ¹	1763	90	186	2	250	175	106
Retained ²	1637 (93%)	88 (98%)	180 (97%)	0 (0%)	216 (86%)	170 (97%)	105 (99%)
Who missed visit	79 (4%)	1 (1%)	1 (1%)	0 (0%)	21 (8%)	5 (3%)	0 (0%)
Lost to follow-up	47 (3%)	1 (1%)	5 (3%)	2 (100%)	13 (5%)	0 (0%)	1 (1%)
Month 36 visit							
Expected ¹	1763	90	186	2	250	175	106
Retained ²	1632 (93%)	88 (98%)	178 (96%)	0 (0%)	214 (86%)	171 (98%)	105 (99%)
Who missed visit	74 (4%)	1 (1%)	3 (2%)	0 (0%)	17 (7%)	4 (2%)	0 (0%)
Lost to follow-up	57 (3%)	1 (1%)	5 (3%)	2 (100%)	19 (8%)	0 (0%)	1 (1%)
Month 39 visit							
Expected ¹	1763	90	186	2	250	175	106
Retained ²	1628 (92%)	86 (96%)	180 (97%)	0 (0%)	214 (86%)	170 (97%)	105 (99%)
Who missed visit	73 (4%)	2 (2%)	1 (1%)	0 (0%)	15 (6%)	5 (3%)	0 (0%)
Lost to follow-up	62 (4%)	2 (2%)	5 (3%)	2 (100%)	21 (8%)	0 (0%)	1 (1%)
Month 42 visit							
Expected ¹	1763	90	186	2	250	175	106
Retained ²	1614 (92%)	87 (97%)	180 (97%)	0 (0%)	208 (83%)	169 (97%)	105 (99%)
Who missed visit	74 (4%)	0 (0%)	1 (1%)	0 (0%)	20 (8%)	4 (2%)	0 (0%)
Lost to follow-up	75 (4%)	3 (3%)	5 (3%)	2 (100%)	22 (9%)	2 (1%)	1 (1%)
Month 45 visit							
Expected ¹	1763	90	186	2	250	175	106
Retained ²	1613 (91%)	86 (96%)	179 (96%)	0 (0%)	208 (83%)	170 (97%)	105 (99%)
Who missed visit	70 (4%)	1 (1%)	2 (1%)	0 (0%)	19 (8%)	2 (1%)	0 (0%)
Lost to follow-up	80 (5%)	3 (3%)	5 (3%)	2 (100%)	23 (9%)	3 (2%)	1 (1%)

1. participants are not considered expected for a visit until after the allowable visit window has closed.

2. retained: completed visits or reached endpoint (death).

HPTN 052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run Date – August 31, 2015
Visit Cutoff Date – August 24, 2015
Participant Retention, by Site and Visit – Indexes

	North/South America				Asia		
	Total	Porto Alegre, Brazil	Rio de Janeiro, Brazil	Boston, US	Chennai, India	Pune, India	Chiang Mai, Thailand
Month 48 visit							
Expected ¹	1763	90	186	2	250	175	106
Retained ²	1605 (91%)	86 (96%)	179 (96%)	0 (0%)	207 (83%)	169 (97%)	105 (99%)
Who missed visit	65 (4%)	1 (1%)	2 (1%)	0 (0%)	11 (4%)	2 (1%)	0 (0%)
Lost to follow-up	93 (5%)	3 (3%)	5 (3%)	2 (100%)	32 (13%)	4 (2%)	1 (1%)
Month 51 visit							
Expected ¹	1763	90	186	2	250	175	106
Retained ²	1596 (91%)	85 (94%)	178 (96%)	0 (0%)	204 (82%)	170 (97%)	105 (99%)
Who missed visit	68 (4%)	2 (2%)	3 (2%)	0 (0%)	12 (5%)	1 (1%)	0 (0%)
Lost to follow-up	99 (6%)	3 (3%)	5 (3%)	2 (100%)	34 (14%)	4 (2%)	1 (1%)
Month 54 visit							
Expected ¹	1763	90	186	2	250	175	106
Retained ²	1592 (90%)	86 (96%)	178 (96%)	0 (0%)	205 (82%)	169 (97%)	105 (99%)
Who missed visit	66 (4%)	1 (1%)	3 (2%)	0 (0%)	10 (4%)	1 (1%)	0 (0%)
Lost to follow-up	105 (6%)	3 (3%)	5 (3%)	2 (100%)	35 (14%)	5 (3%)	1 (1%)
Month 57 visit							
Expected ¹	1763	90	186	2	250	175	106
Retained ²	1580 (90%)	84 (93%)	176 (95%)	0 (0%)	200 (80%)	169 (97%)	105 (99%)
Who missed visit	68 (4%)	2 (2%)	5 (3%)	0 (0%)	11 (4%)	1 (1%)	0 (0%)
Lost to follow-up	115 (7%)	4 (4%)	5 (3%)	2 (100%)	39 (16%)	5 (3%)	1 (1%)
Month 60 visit							
Expected ¹	1763	90	186	2	250	175	106
Retained ²	1582 (90%)	84 (93%)	179 (96%)	0 (0%)	198 (79%)	169 (97%)	105 (99%)
Who missed visit	62 (4%)	2 (2%)	2 (1%)	0 (0%)	13 (5%)	0 (0%)	0 (0%)
Lost to follow-up	119 (7%)	4 (4%)	5 (3%)	2 (100%)	39 (16%)	6 (3%)	1 (1%)

1. participants are not considered expected for a visit until after the allowable visit window has closed.

2. retained: completed visits or reached endpoint (death).

HPTN 052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run Date – August 31, 2015
Visit Cutoff Date – August 24, 2015
Participant Retention, by Site and Visit – Indexes

	North/South America				Asia		
	Total	Porto Alegre, Brazil	Rio de Janeiro, Brazil	Boston, US	Chennai, India	Pune, India	Chiang Mai, Thailand
Month 63 visit							
Expected ¹	1763	90	186	2	250	175	106
Retained ²	1472 (83%)	82 (91%)	173 (93%)	0 (0%)	193 (77%)	161 (92%)	103 (97%)
Who missed visit	166 (9%)	3 (3%)	8 (4%)	0 (0%)	16 (6%)	8 (5%)	2 (2%)
Lost to follow-up	125 (7%)	5 (6%)	5 (3%)	2 (100%)	41 (16%)	6 (3%)	1 (1%)

1. participants are not considered expected for a visit until after the allowable visit window has closed.

2. retained: completed visits or reached endpoint (death).

HPTN 052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run Date – August 31, 2015
Visit Cutoff Date – August 24, 2015
Participant Retention, by Site and Visit – Indexes

	Africa							
	Total	Gaborone, Botswana	Kisumu, Kenya	Blantyre, Malawi	Lilongwe, Malawi	Johannesburg , South Africa	Soweto, South Africa	Harare, Zimbabwe
N	1763	77	60	230	251	46	50	240
Month 3 visit								
Expected ¹	1763	77	60	230	251	46	50	240
Retained ²	1722 (98%)	77 (100%)	60 (100%)	222 (97%)	243 (97%)	45 (98%)	50 (100%)	236 (98%)
Who missed visit	32 (2%)	0 (0%)	0 (0%)	5 (2%)	8 (3%)	1 (2%)	0 (0%)	4 (2%)
Lost to follow-up	9 (1%)	0 (0%)	0 (0%)	3 (1%)	0 (0%)	0 (0%)	0 (0%)	0 (0%)
Month 6 visit								
Expected ¹	1763	77	60	230	251	46	50	240
Retained ²	1705 (97%)	75 (97%)	60 (100%)	220 (96%)	237 (94%)	45 (98%)	50 (100%)	229 (95%)
Who missed visit	43 (2%)	2 (3%)	0 (0%)	6 (3%)	11 (4%)	1 (2%)	0 (0%)	10 (4%)
Lost to follow-up	15 (1%)	0 (0%)	0 (0%)	4 (2%)	3 (1%)	0 (0%)	0 (0%)	1 (<1%)
Month 9 visit								
Expected ¹	1763	77	60	230	251	46	50	240
Retained ²	1697 (96%)	75 (97%)	60 (100%)	218 (95%)	236 (94%)	45 (98%)	49 (98%)	229 (95%)
Who missed visit	44 (2%)	2 (3%)	0 (0%)	6 (3%)	10 (4%)	1 (2%)	1 (2%)	10 (4%)
Lost to follow-up	22 (1%)	0 (0%)	0 (0%)	6 (3%)	5 (2%)	0 (0%)	0 (0%)	1 (<1%)
Month 12 visit								
Expected ¹	1763	77	60	230	251	46	50	240
Retained ²	1684 (96%)	75 (97%)	59 (98%)	214 (93%)	231 (92%)	44 (96%)	49 (98%)	229 (95%)
Who missed visit	54 (3%)	1 (1%)	1 (2%)	9 (4%)	15 (6%)	1 (2%)	1 (2%)	10 (4%)
Lost to follow-up	25 (1%)	1 (1%)	0 (0%)	7 (3%)	5 (2%)	1 (2%)	0 (0%)	1 (<1%)
Month 15 visit								
Expected ¹	1763	77	60	230	251	46	50	240
Retained ²	1683 (95%)	75 (97%)	60 (100%)	213 (93%)	232 (92%)	45 (98%)	48 (96%)	228 (95%)
Who missed visit	55 (3%)	1 (1%)	0 (0%)	10 (4%)	14 (6%)	0 (0%)	2 (4%)	11 (5%)
Lost to follow-up	25 (1%)	1 (1%)	0 (0%)	7 (3%)	5 (2%)	1 (2%)	0 (0%)	1 (<1%)

1. participants are not considered expected for a visit until after the allowable visit window has closed.

2. retained: completed visits or reached endpoint (death).

HPTN 052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run Date – August 31, 2015
Visit Cutoff Date – August 24, 2015
Participant Retention, by Site and Visit – Indexes

	Africa							
	Total	Gaborone, Botswana	Kisumu, Kenya	Blantyre, Malawi	Lilongwe, Malawi	Johannesburg , South Africa	Soweto, South Africa	Harare, Zimbabwe
Month 18 visit								
Expected ¹	1763	77	60	230	251	46	50	240
Retained ²	1665 (94%)	76 (99%)	60 (100%)	212 (92%)	228 (91%)	45 (98%)	48 (96%)	223 (93%)
Who missed visit	69 (4%)	0 (0%)	0 (0%)	11 (5%)	17 (7%)	0 (0%)	1 (2%)	16 (7%)
Lost to follow-up	29 (2%)	1 (1%)	0 (0%)	7 (3%)	6 (2%)	1 (2%)	1 (2%)	1 (<1%)
Month 21 visit								
Expected ¹	1763	77	60	230	251	46	50	240
Retained ²	1658 (94%)	76 (99%)	60 (100%)	210 (91%)	228 (91%)	44 (96%)	48 (96%)	221 (92%)
Who missed visit	72 (4%)	0 (0%)	0 (0%)	13 (6%)	16 (6%)	1 (2%)	1 (2%)	18 (8%)
Lost to follow-up	33 (2%)	1 (1%)	0 (0%)	7 (3%)	7 (3%)	1 (2%)	1 (2%)	1 (<1%)
Month 24 visit								
Expected ¹	1763	77	60	230	251	46	50	240
Retained ²	1655 (94%)	76 (99%)	59 (98%)	211 (92%)	227 (90%)	44 (96%)	48 (96%)	223 (93%)
Who missed visit	73 (4%)	0 (0%)	1 (2%)	12 (5%)	17 (7%)	1 (2%)	0 (0%)	16 (7%)
Lost to follow-up	35 (2%)	1 (1%)	0 (0%)	7 (3%)	7 (3%)	1 (2%)	2 (4%)	1 (<1%)
Month 27 visit								
Expected ¹	1763	77	60	230	251	46	50	240
Retained ²	1644 (93%)	76 (99%)	59 (98%)	210 (91%)	220 (88%)	44 (96%)	48 (96%)	221 (92%)
Who missed visit	82 (5%)	0 (0%)	1 (2%)	13 (6%)	24 (10%)	0 (0%)	0 (0%)	17 (7%)
Lost to follow-up	37 (2%)	1 (1%)	0 (0%)	7 (3%)	7 (3%)	2 (4%)	2 (4%)	2 (1%)
Month 30 visit								
Expected ¹	1763	77	60	230	251	46	50	240
Retained ²	1642 (93%)	75 (97%)	59 (98%)	208 (90%)	222 (88%)	44 (96%)	48 (96%)	220 (92%)
Who missed visit	82 (5%)	1 (1%)	1 (2%)	14 (6%)	22 (9%)	0 (0%)	0 (0%)	17 (7%)
Lost to follow-up	39 (2%)	1 (1%)	0 (0%)	8 (3%)	7 (3%)	2 (4%)	2 (4%)	3 (1%)

1. participants are not considered expected for a visit until after the allowable visit window has closed.

2. retained: completed visits or reached endpoint (death).

HPTN 052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run Date – August 31, 2015
Visit Cutoff Date – August 24, 2015
Participant Retention, by Site and Visit – Indexes

	Africa							
	Total	Gaborone, Botswana	Kisumu, Kenya	Blantyre, Malawi	Lilongwe, Malawi	Johannesburg , South Africa	Soweto, South Africa	Harare, Zimbabwe
Month 33 visit								
Expected ¹	1763	77	60	230	251	46	50	240
Retained ²	1637 (93%)	75 (97%)	60 (100%)	210 (91%)	222 (88%)	44 (96%)	48 (96%)	219 (91%)
Who missed visit	79 (4%)	1 (1%)	0 (0%)	12 (5%)	21 (8%)	0 (0%)	0 (0%)	17 (7%)
Lost to follow-up	47 (3%)	1 (1%)	0 (0%)	8 (3%)	8 (3%)	2 (4%)	2 (4%)	4 (2%)
Month 36 visit								
Expected ¹	1763	77	60	230	251	46	50	240
Retained ²	1632 (93%)	74 (96%)	59 (98%)	209 (91%)	222 (88%)	43 (93%)	48 (96%)	221 (92%)
Who missed visit	74 (4%)	1 (1%)	1 (2%)	13 (6%)	20 (8%)	0 (0%)	0 (0%)	14 (6%)
Lost to follow-up	57 (3%)	2 (3%)	0 (0%)	8 (3%)	9 (4%)	3 (7%)	2 (4%)	5 (2%)
Month 39 visit								
Expected ¹	1763	77	60	230	251	46	50	240
Retained ²	1628 (92%)	73 (95%)	60 (100%)	206 (90%)	220 (88%)	42 (91%)	48 (96%)	224 (93%)
Who missed visit	73 (4%)	2 (3%)	0 (0%)	14 (6%)	22 (9%)	1 (2%)	0 (0%)	11 (5%)
Lost to follow-up	62 (4%)	2 (3%)	0 (0%)	10 (4%)	9 (4%)	3 (7%)	2 (4%)	5 (2%)
Month 42 visit								
Expected ¹	1763	77	60	230	251	46	50	240
Retained ²	1614 (92%)	73 (95%)	59 (98%)	205 (89%)	219 (87%)	41 (89%)	46 (92%)	222 (93%)
Who missed visit	74 (4%)	2 (3%)	1 (2%)	15 (7%)	20 (8%)	0 (0%)	2 (4%)	9 (4%)
Lost to follow-up	75 (4%)	2 (3%)	0 (0%)	10 (4%)	12 (5%)	5 (11%)	2 (4%)	9 (4%)
Month 45 visit								
Expected ¹	1763	77	60	230	251	46	50	240
Retained ²	1613 (91%)	74 (96%)	59 (98%)	206 (90%)	218 (87%)	41 (89%)	47 (94%)	220 (92%)
Who missed visit	70 (4%)	1 (1%)	1 (2%)	14 (6%)	19 (8%)	0 (0%)	1 (2%)	10 (4%)
Lost to follow-up	80 (5%)	2 (3%)	0 (0%)	10 (4%)	14 (6%)	5 (11%)	2 (4%)	10 (4%)

1. participants are not considered expected for a visit until after the allowable visit window has closed.

2. retained: completed visits or reached endpoint (death).

HPTN 052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run Date – August 31, 2015
Visit Cutoff Date – August 24, 2015
Participant Retention, by Site and Visit – Indexes

	Africa							
	Total	Gaborone, Botswana	Kisumu, Kenya	Blantyre, Malawi	Lilongwe, Malawi	Johannesburg , South Africa	Soweto, South Africa	Harare, Zimbabwe
Month 48 visit								
Expected ¹	1763	77	60	230	251	46	50	240
Retained ²	1605 (91%)	73 (95%)	59 (98%)	204 (89%)	215 (86%)	41 (89%)	47 (94%)	220 (92%)
Who missed visit	65 (4%)	1 (1%)	1 (2%)	15 (7%)	21 (8%)	0 (0%)	1 (2%)	10 (4%)
Lost to follow-up	93 (5%)	3 (4%)	0 (0%)	11 (5%)	15 (6%)	5 (11%)	2 (4%)	10 (4%)
Month 51 visit								
Expected ¹	1763	77	60	230	251	46	50	240
Retained ²	1596 (91%)	73 (95%)	59 (98%)	202 (88%)	213 (85%)	41 (89%)	47 (94%)	219 (91%)
Who missed visit	68 (4%)	1 (1%)	1 (2%)	17 (7%)	22 (9%)	0 (0%)	1 (2%)	8 (3%)
Lost to follow-up	99 (6%)	3 (4%)	0 (0%)	11 (5%)	16 (6%)	5 (11%)	2 (4%)	13 (5%)
Month 54 visit								
Expected ¹	1763	77	60	230	251	46	50	240
Retained ²	1592 (90%)	74 (96%)	58 (97%)	201 (87%)	210 (84%)	41 (89%)	47 (94%)	218 (91%)
Who missed visit	66 (4%)	0 (0%)	2 (3%)	17 (7%)	22 (9%)	0 (0%)	1 (2%)	9 (4%)
Lost to follow-up	105 (6%)	3 (4%)	0 (0%)	12 (5%)	19 (8%)	5 (11%)	2 (4%)	13 (5%)
Month 57 visit								
Expected ¹	1763	77	60	230	251	46	50	240
Retained ²	1580 (90%)	72 (94%)	58 (97%)	202 (88%)	209 (83%)	41 (89%)	47 (94%)	217 (90%)
Who missed visit	68 (4%)	1 (1%)	2 (3%)	16 (7%)	19 (8%)	0 (0%)	1 (2%)	10 (4%)
Lost to follow-up	115 (7%)	4 (5%)	0 (0%)	12 (5%)	23 (9%)	5 (11%)	2 (4%)	13 (5%)
Month 60 visit								
Expected ¹	1763	77	60	230	251	46	50	240
Retained ²	1582 (90%)	72 (94%)	59 (98%)	202 (88%)	210 (84%)	41 (89%)	47 (94%)	216 (90%)
Who missed visit	62 (4%)	1 (1%)	1 (2%)	16 (7%)	15 (6%)	0 (0%)	1 (2%)	11 (5%)
Lost to follow-up	119 (7%)	4 (5%)	0 (0%)	12 (5%)	26 (10%)	5 (11%)	2 (4%)	13 (5%)

1. participants are not considered expected for a visit until after the allowable visit window has closed.

2. retained: completed visits or reached endpoint (death).

HPTN 052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run Date – August 31, 2015
Visit Cutoff Date – August 24, 2015
Participant Retention, by Site and Visit – Indexes

	Africa							
	Total	Gaborone, Botswana	Kisumu, Kenya	Blantyre, Malawi	Lilongwe, Malawi	Johannesburg , South Africa	Soweto, South Africa	Harare, Zimbabwe
Month 63 visit								
Expected ¹	1763	77	60	230	251	46	50	240
Retained ²	1472 (83%)	58 (75%)	37 (62%)	191 (83%)	209 (83%)	39 (85%)	30 (60%)	196 (82%)
Who missed visit	166 (9%)	15 (19%)	23 (38%)	27 (12%)	13 (5%)	2 (4%)	18 (36%)	31 (13%)
Lost to follow-up	125 (7%)	4 (5%)	0 (0%)	12 (5%)	29 (12%)	5 (11%)	2 (4%)	13 (5%)

1. participants are not considered expected for a visit until after the allowable visit window has closed.

2. retained: completed visits or reached endpoint (death).

HPTN 052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run Date – August 31, 2015
Visit Cutoff Date – August 24, 2015
Participant Retention, by Site and Visit – Partners

	North/South America				Asia		
	Total	Porto Alegre, Brazil	Rio de Janeiro, Brazil	Boston, US	Chennai, India	Pune, India	Chiang Mai, Thailand
N	1763	90	186	2	250	175	106
Month 3 visit							
Expected ^{1,2}	1759	90	185	2	250	175	106
Retained ³	1659 (94%)	86 (96%)	173 (94%)	2 (100%)	224 (90%)	174 (99%)	103 (97%)
Who missed visit	91 (5%)	3 (3%)	12 (6%)	0 (0%)	21 (8%)	1 (1%)	3 (3%)
Lost to follow-up	9 (1%)	1 (1%)	0 (0%)	0 (0%)	5 (2%)	0 (0%)	0 (0%)
Month 6 visit							
Expected ^{1,2}	1746	88	185	2	250	175	106
Retained ³	1614 (92%)	86 (98%)	170 (92%)	2 (100%)	219 (88%)	170 (97%)	99 (93%)
Who missed visit	119 (7%)	1 (1%)	15 (8%)	0 (0%)	25 (10%)	5 (3%)	7 (7%)
Lost to follow-up	13 (1%)	1 (1%)	0 (0%)	0 (0%)	6 (2%)	0 (0%)	0 (0%)
Month 9 visit							
Expected ^{1,2}	1740	87	184	2	250	175	104
Retained ³	1595 (92%)	84 (97%)	163 (89%)	1 (50%)	223 (89%)	170 (97%)	100 (96%)
Who missed visit	124 (7%)	2 (2%)	21 (11%)	0 (0%)	20 (8%)	5 (3%)	4 (4%)
Lost to follow-up	21 (1%)	1 (1%)	0 (0%)	1 (50%)	7 (3%)	0 (0%)	0 (0%)
Month 12 visit							
Expected ^{1,2}	1719	84	181	2	249	175	102
Retained ³	1565 (91%)	81 (96%)	165 (91%)	1 (50%)	218 (88%)	169 (97%)	100 (98%)
Who missed visit	131 (8%)	2 (2%)	16 (9%)	0 (0%)	24 (10%)	6 (3%)	2 (2%)
Lost to follow-up	23 (1%)	1 (1%)	0 (0%)	1 (50%)	7 (3%)	0 (0%)	0 (0%)
Month 15 visit							
Expected ^{1,2}	1716	85	178	2	249	175	102
Retained ³	1539 (90%)	82 (96%)	157 (88%)	1 (50%)	205 (82%)	169 (97%)	100 (98%)
Who missed visit	151 (9%)	2 (2%)	21 (12%)	0 (0%)	37 (15%)	6 (3%)	2 (2%)
Lost to follow-up	26 (2%)	1 (1%)	0 (0%)	1 (50%)	7 (3%)	0 (0%)	0 (0%)

1. participants are not considered expected for a visit until after the allowable visit window has closed.

2. partners are not considered expected for future visits when terminated due to death or relationship ended.

3. retained: completed visits or reached endpoint (death of index or partner HIV infection).

HPTN 052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run Date – August 31, 2015
Visit Cutoff Date – August 24, 2015
Participant Retention, by Site and Visit – Partners

	North/South America				Asia		
	Total	Porto Alegre, Brazil	Rio de Janeiro, Brazil	Boston, US	Chennai, India	Pune, India	Chiang Mai, Thailand
Month 18 visit							
Expected ^{1,2}	1707	86	178	2	248	175	101
Retained ³	1486 (87%)	79 (92%)	150 (84%)	1 (50%)	201 (81%)	167 (95%)	96 (95%)
Who missed visit	190 (11%)	6 (7%)	27 (15%)	0 (0%)	39 (16%)	8 (5%)	4 (4%)
Lost to follow-up	31 (2%)	1 (1%)	1 (1%)	1 (50%)	8 (3%)	0 (0%)	1 (1%)
Month 21 visit							
Expected ^{1,2}	1694	85	175	2	248	175	100
Retained ³	1483 (88%)	81 (95%)	152 (87%)	1 (50%)	203 (82%)	165 (94%)	97 (97%)
Who missed visit	176 (10%)	3 (4%)	22 (13%)	0 (0%)	37 (15%)	10 (6%)	2 (2%)
Lost to follow-up	35 (2%)	1 (1%)	1 (1%)	1 (50%)	8 (3%)	0 (0%)	1 (1%)
Month 24 visit							
Expected ^{1,2}	1677	83	174	2	247	174	99
Retained ³	1464 (87%)	77 (93%)	141 (81%)	1 (50%)	196 (79%)	166 (95%)	96 (97%)
Who missed visit	175 (10%)	5 (6%)	31 (18%)	0 (0%)	43 (17%)	8 (5%)	2 (2%)
Lost to follow-up	38 (2%)	1 (1%)	2 (1%)	1 (50%)	8 (3%)	0 (0%)	1 (1%)
Month 27 visit							
Expected ^{1,2}	1665	83	170	2	247	174	98
Retained ³	1424 (86%)	77 (93%)	146 (86%)	1 (50%)	190 (77%)	163 (94%)	92 (94%)
Who missed visit	195 (12%)	5 (6%)	22 (13%)	0 (0%)	48 (19%)	10 (6%)	5 (5%)
Lost to follow-up	46 (3%)	1 (1%)	2 (1%)	1 (50%)	9 (4%)	1 (1%)	1 (1%)
Month 30 visit							
Expected ^{1,2}	1654	83	166	2	247	174	98
Retained ³	1417 (86%)	74 (89%)	144 (87%)	1 (50%)	190 (77%)	164 (94%)	94 (96%)
Who missed visit	185 (11%)	8 (10%)	20 (12%)	0 (0%)	46 (19%)	9 (5%)	3 (3%)
Lost to follow-up	52 (3%)	1 (1%)	2 (1%)	1 (50%)	11 (4%)	1 (1%)	1 (1%)

1. participants are not considered expected for a visit until after the allowable visit window has closed.

2. partners are not considered expected for future visits when terminated due to death or relationship ended.

3. retained: completed visits or reached endpoint (death of index or partner HIV infection).

HPTN 052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run Date – August 31, 2015
Visit Cutoff Date – August 24, 2015
Participant Retention, by Site and Visit – Partners

		North/South America			Asia		
	Total	Porto Alegre, Brazil	Rio de Janeiro, Brazil	Boston, US	Chennai, India	Pune, India	Chiang Mai, Thailand
Month 33 visit							
Expected ^{1,2}	1645	82	165	2	247	174	96
Retained ³	1389 (84%)	75 (91%)	141 (85%)	1 (50%)	185 (75%)	164 (94%)	91 (95%)
Who missed visit	197 (12%)	6 (7%)	21 (13%)	0 (0%)	47 (19%)	9 (5%)	4 (4%)
Lost to follow-up	59 (4%)	1 (1%)	3 (2%)	1 (50%)	15 (6%)	1 (1%)	1 (1%)
Month 36 visit							
Expected ^{1,2}	1640	82	164	2	247	174	94
Retained ³	1377 (84%)	73 (89%)	139 (85%)	1 (50%)	180 (73%)	166 (95%)	92 (98%)
Who missed visit	194 (12%)	8 (10%)	22 (13%)	0 (0%)	45 (18%)	7 (4%)	1 (1%)
Lost to follow-up	69 (4%)	1 (1%)	3 (2%)	1 (50%)	22 (9%)	1 (1%)	1 (1%)
Month 39 visit							
Expected ^{1,2}	1635	82	161	2	247	174	94
Retained ³	1345 (82%)	69 (84%)	131 (81%)	1 (50%)	174 (70%)	166 (95%)	89 (95%)
Who missed visit	213 (13%)	11 (13%)	27 (17%)	0 (0%)	47 (19%)	7 (4%)	4 (4%)
Lost to follow-up	77 (5%)	2 (2%)	3 (2%)	1 (50%)	26 (11%)	1 (1%)	1 (1%)
Month 42 visit							
Expected ^{1,2}	1629	82	159	2	247	174	92
Retained ³	1323 (81%)	70 (85%)	131 (82%)	1 (50%)	169 (68%)	162 (93%)	87 (95%)
Who missed visit	209 (13%)	10 (12%)	25 (16%)	0 (0%)	51 (21%)	8 (5%)	3 (3%)
Lost to follow-up	97 (6%)	2 (2%)	3 (2%)	1 (50%)	27 (11%)	4 (2%)	2 (2%)
Month 45 visit							
Expected ^{1,2}	1622	79	157	2	247	174	92
Retained ³	1311 (81%)	65 (82%)	121 (77%)	1 (50%)	165 (67%)	164 (94%)	86 (93%)
Who missed visit	205 (13%)	10 (13%)	33 (21%)	0 (0%)	53 (21%)	5 (3%)	4 (4%)
Lost to follow-up	107 (7%)	4 (5%)	3 (2%)	1 (50%)	29 (12%)	5 (3%)	2 (2%)

1. participants are not considered expected for a visit until after the allowable visit window has closed.

2. partners are not considered expected for future visits when terminated due to death or relationship ended.

3. retained: completed visits or reached endpoint (death of index or partner HIV infection).

HPTN 052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run Date – August 31, 2015
Visit Cutoff Date – August 24, 2015
Participant Retention, by Site and Visit – Partners

		North/South America			Asia		
	Total	Porto Alegre, Brazil	Rio de Janeiro, Brazil	Boston, US	Chennai, India	Pune, India	Chiang Mai, Thailand
Month 48 visit							
Expected ^{1,2}	1600	79	153	2	247	174	92
Retained ³	1301 (81%)	68 (86%)	118 (77%)	1 (50%)	172 (70%)	164 (94%)	86 (93%)
Who missed visit	177 (11%)	6 (8%)	32 (21%)	0 (0%)	36 (15%)	4 (2%)	4 (4%)
Lost to follow-up	123 (8%)	5 (6%)	3 (2%)	1 (50%)	39 (16%)	6 (3%)	2 (2%)
Month 51 visit							
Expected ^{1,2}	1590	79	152	2	247	174	90
Retained ³	1267 (80%)	66 (84%)	123 (81%)	1 (50%)	162 (66%)	162 (93%)	82 (91%)
Who missed visit	191 (12%)	8 (10%)	26 (17%)	0 (0%)	42 (17%)	6 (3%)	6 (7%)
Lost to follow-up	133 (8%)	5 (6%)	3 (2%)	1 (50%)	43 (17%)	6 (3%)	2 (2%)
Month 54 visit							
Expected ^{1,2}	1577	79	148	2	247	173	90
Retained ³	1250 (79%)	61 (77%)	120 (81%)	1 (50%)	164 (66%)	161 (93%)	83 (92%)
Who missed visit	186 (12%)	13 (16%)	25 (17%)	0 (0%)	36 (15%)	5 (3%)	4 (4%)
Lost to follow-up	142 (9%)	5 (6%)	3 (2%)	1 (50%)	47 (19%)	7 (4%)	3 (3%)
Month 57 visit							
Expected ^{1,2}	1567	79	146	2	247	172	88
Retained ³	1224 (78%)	61 (77%)	113 (77%)	1 (50%)	153 (62%)	158 (92%)	82 (93%)
Who missed visit	193 (12%)	12 (15%)	30 (21%)	0 (0%)	42 (17%)	7 (4%)	3 (3%)
Lost to follow-up	151 (10%)	6 (8%)	3 (2%)	1 (50%)	52 (21%)	7 (4%)	3 (3%)
Month 60 visit							
Expected ^{1,2}	1563	79	147	2	247	172	88
Retained ³	1227 (79%)	61 (77%)	108 (73%)	1 (50%)	162 (66%)	160 (93%)	84 (95%)
Who missed visit	182 (12%)	11 (14%)	36 (24%)	0 (0%)	33 (13%)	4 (2%)	1 (1%)
Lost to follow-up	155 (10%)	7 (9%)	3 (2%)	1 (50%)	52 (21%)	8 (5%)	3 (3%)

1. participants are not considered expected for a visit until after the allowable visit window has closed.

2. partners are not considered expected for future visits when terminated due to death or relationship ended.

3. retained: completed visits or reached endpoint (death of index or partner HIV infection).

HPTN 052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run Date – August 31, 2015
Visit Cutoff Date – August 24, 2015
Participant Retention, by Site and Visit – Partners

	North/South America				Asia		
	Total	Porto Alegre, Brazil	Rio de Janeiro, Brazil	Boston, US	Chennai, India	Pune, India	Chiang Mai, Thailand
Month 63 visit							
Expected ^{1,2}	1555	79	145	2	247	171	88
Retained ³	1131 (73%)	55 (70%)	108 (74%)	1 (50%)	152 (62%)	151 (88%)	76 (86%)
Who missed visit	263 (17%)	14 (18%)	34 (23%)	0 (0%)	40 (16%)	11 (6%)	9 (10%)
Lost to follow-up	162 (10%)	10 (13%)	3 (2%)	1 (50%)	55 (22%)	9 (5%)	3 (3%)

1. participants are not considered expected for a visit until after the allowable visit window has closed.

2. partners are not considered expected for future visits when terminated due to death or relationship ended.

3. retained: completed visits or reached endpoint (death of index or partner HIV infection).

HPTN 052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run Date – August 31, 2015
Visit Cutoff Date – August 24, 2015
Participant Retention, by Site and Visit – Partners

	Africa							
	Total	Gaborone, Botswana	Kisumu, Kenya	Blantyre, Malawi	Lilongwe, Malawi	Johannesburg , South Africa	Soweto, South Africa	Harare, Zimbabwe
N	1763	77	60	230	251	46	50	240
Month 3 visit								
Expected ^{1,2}	1759	77	60	229	249	46	50	240
Retained ³	1659 (94%)	74 (96%)	59 (98%)	218 (95%)	229 (92%)	46 (100%)	48 (96%)	223 (93%)
Who missed visit	91 (5%)	3 (4%)	1 (2%)	8 (3%)	20 (8%)	0 (0%)	2 (4%)	17 (7%)
Lost to follow-up	9 (1%)	0 (0%)	0 (0%)	3 (1%)	0 (0%)	0 (0%)	0 (0%)	0 (0%)
Month 6 visit								
Expected ^{1,2}	1746	77	60	225	245	45	49	239
Retained ³	1614 (92%)	76 (99%)	59 (98%)	209 (93%)	220 (90%)	42 (93%)	46 (94%)	216 (90%)
Who missed visit	119 (7%)	1 (1%)	1 (2%)	11 (5%)	24 (10%)	3 (7%)	3 (6%)	23 (10%)
Lost to follow-up	13 (1%)	0 (0%)	0 (0%)	5 (2%)	1 (<1%)	0 (0%)	0 (0%)	0 (0%)
Month 9 visit								
Expected ^{1,2}	1740	76	60	224	246	45	49	238
Retained ³	1595 (92%)	76 (100%)	59 (98%)	201 (90%)	218 (89%)	43 (96%)	48 (98%)	209 (88%)
Who missed visit	124 (7%)	0 (0%)	1 (2%)	16 (7%)	24 (10%)	2 (4%)	1 (2%)	28 (12%)
Lost to follow-up	21 (1%)	0 (0%)	0 (0%)	7 (3%)	4 (2%)	0 (0%)	0 (0%)	1 (<1%)
Month 12 visit								
Expected ^{1,2}	1719	76	60	219	243	44	48	236
Retained ³	1565 (91%)	75 (99%)	58 (97%)	194 (89%)	208 (86%)	39 (89%)	48 (100%)	209 (89%)
Who missed visit	131 (8%)	1 (1%)	2 (3%)	17 (8%)	30 (12%)	5 (11%)	0 (0%)	26 (11%)
Lost to follow-up	23 (1%)	0 (0%)	0 (0%)	8 (4%)	5 (2%)	0 (0%)	0 (0%)	1 (<1%)
Month 15 visit								
Expected ^{1,2}	1716	76	60	219	245	44	48	233
Retained ³	1539 (90%)	74 (97%)	57 (95%)	191 (87%)	209 (85%)	40 (91%)	46 (96%)	208 (89%)
Who missed visit	151 (9%)	2 (3%)	3 (5%)	20 (9%)	30 (12%)	4 (9%)	1 (2%)	23 (10%)
Lost to follow-up	26 (2%)	0 (0%)	0 (0%)	8 (4%)	6 (2%)	0 (0%)	1 (2%)	2 (1%)

1. participants are not considered expected for a visit until after the allowable visit window has closed.
2. partners are not considered expected for future visits when terminated due to death or relationship ended.
3. retained: completed visits or reached endpoint (death of index or partner HIV infection).

HPTN 052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run Date – August 31, 2015
Visit Cutoff Date – August 24, 2015
Participant Retention, by Site and Visit – Partners

	Africa							
	Total	Gaborone, Botswana	Kisumu, Kenya	Blantyre, Malawi	Lilongwe, Malawi	Johannesburg , South Africa	Soweto, South Africa	Harare, Zimbabwe
Month 18 visit								
Expected ^{1,2}	1707	73	60	218	243	43	48	232
Retained ³	1486 (87%)	68 (93%)	58 (97%)	184 (84%)	200 (82%)	39 (91%)	43 (90%)	200 (86%)
Who missed visit	190 (11%)	5 (7%)	2 (3%)	26 (12%)	35 (14%)	4 (9%)	4 (8%)	30 (13%)
Lost to follow-up	31 (2%)	0 (0%)	0 (0%)	8 (4%)	8 (3%)	0 (0%)	1 (2%)	2 (1%)
Month 21 visit								
Expected ^{1,2}	1694	71	60	216	243	43	46	230
Retained ³	1483 (88%)	69 (97%)	59 (98%)	178 (82%)	196 (81%)	39 (91%)	43 (93%)	200 (87%)
Who missed visit	176 (10%)	2 (3%)	1 (2%)	29 (13%)	37 (15%)	4 (9%)	2 (4%)	27 (12%)
Lost to follow-up	35 (2%)	0 (0%)	0 (0%)	9 (4%)	10 (4%)	0 (0%)	1 (2%)	3 (1%)
Month 24 visit								
Expected ^{1,2}	1677	68	60	213	242	43	44	228
Retained ³	1464 (87%)	67 (99%)	57 (95%)	182 (85%)	205 (85%)	38 (88%)	41 (93%)	197 (86%)
Who missed visit	175 (10%)	1 (1%)	1 (2%)	22 (10%)	27 (11%)	5 (12%)	2 (5%)	28 (12%)
Lost to follow-up	38 (2%)	0 (0%)	2 (3%)	9 (4%)	10 (4%)	0 (0%)	1 (2%)	3 (1%)
Month 27 visit								
Expected ^{1,2}	1665	66	60	212	241	41	44	227
Retained ³	1424 (86%)	64 (97%)	56 (93%)	175 (83%)	191 (79%)	38 (93%)	41 (93%)	190 (84%)
Who missed visit	195 (12%)	2 (3%)	1 (2%)	26 (12%)	40 (17%)	1 (2%)	2 (5%)	33 (15%)
Lost to follow-up	46 (3%)	0 (0%)	3 (5%)	11 (5%)	10 (4%)	2 (5%)	1 (2%)	4 (2%)
Month 30 visit								
Expected ^{1,2}	1654	64	60	211	239	40	44	226
Retained ³	1417 (86%)	62 (97%)	56 (93%)	173 (82%)	190 (79%)	38 (95%)	42 (95%)	189 (84%)
Who missed visit	185 (11%)	2 (3%)	1 (2%)	27 (13%)	39 (16%)	0 (0%)	1 (2%)	29 (13%)
Lost to follow-up	52 (3%)	0 (0%)	3 (5%)	11 (5%)	10 (4%)	2 (5%)	1 (2%)	8 (4%)

1. participants are not considered expected for a visit until after the allowable visit window has closed.
2. partners are not considered expected for future visits when terminated due to death or relationship ended.
3. retained: completed visits or reached endpoint (death of index or partner HIV infection).

HPTN 052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run Date – August 31, 2015
Visit Cutoff Date – August 24, 2015
Participant Retention, by Site and Visit – Partners

	Africa							
	Total	Gaborone, Botswana	Kisumu, Kenya	Blantyre, Malawi	Lilongwe, Malawi	Johannesburg , South Africa	Soweto, South Africa	Harare, Zimbabwe
Month 33 visit								
Expected ^{1,2}	1645	63	60	209	237	40	44	226
Retained ³	1389 (84%)	60 (95%)	56 (93%)	168 (80%)	182 (77%)	38 (95%)	42 (95%)	186 (82%)
Who missed visit	197 (12%)	3 (5%)	1 (2%)	30 (14%)	44 (19%)	0 (0%)	1 (2%)	31 (14%)
Lost to follow-up	59 (4%)	0 (0%)	3 (5%)	11 (5%)	11 (5%)	2 (5%)	1 (2%)	9 (4%)
Month 36 visit								
Expected ^{1,2}	1640	63	60	208	236	40	44	226
Retained ³	1377 (84%)	59 (94%)	55 (92%)	168 (81%)	187 (79%)	35 (88%)	41 (93%)	181 (80%)
Who missed visit	194 (12%)	4 (6%)	2 (3%)	29 (14%)	37 (16%)	2 (5%)	2 (5%)	35 (15%)
Lost to follow-up	69 (4%)	0 (0%)	3 (5%)	11 (5%)	12 (5%)	3 (8%)	1 (2%)	10 (4%)
Month 39 visit								
Expected ^{1,2}	1635	63	60	207	236	40	44	225
Retained ³	1345 (82%)	58 (92%)	57 (95%)	164 (79%)	179 (76%)	35 (88%)	43 (98%)	179 (80%)
Who missed visit	213 (13%)	4 (6%)	0 (0%)	31 (15%)	45 (19%)	2 (5%)	1 (2%)	34 (15%)
Lost to follow-up	77 (5%)	1 (2%)	3 (5%)	12 (6%)	12 (5%)	3 (8%)	0 (0%)	12 (5%)
Month 42 visit								
Expected ^{1,2}	1629	62	60	206	236	40	44	225
Retained ³	1323 (81%)	57 (92%)	57 (95%)	161 (78%)	179 (76%)	31 (78%)	42 (95%)	176 (78%)
Who missed visit	209 (13%)	4 (6%)	0 (0%)	33 (16%)	42 (18%)	3 (8%)	2 (5%)	28 (12%)
Lost to follow-up	97 (6%)	1 (2%)	3 (5%)	12 (6%)	15 (6%)	6 (15%)	0 (0%)	21 (9%)
Month 45 visit								
Expected ^{1,2}	1622	63	60	207	232	41	43	225
Retained ³	1311 (81%)	60 (95%)	56 (93%)	162 (78%)	177 (76%)	30 (73%)	41 (95%)	183 (81%)
Who missed visit	205 (13%)	2 (3%)	0 (0%)	32 (15%)	39 (17%)	5 (12%)	2 (5%)	20 (9%)
Lost to follow-up	107 (7%)	1 (2%)	4 (7%)	13 (6%)	17 (7%)	6 (15%)	0 (0%)	22 (10%)

1. participants are not considered expected for a visit until after the allowable visit window has closed.
2. partners are not considered expected for future visits when terminated due to death or relationship ended.
3. retained: completed visits or reached endpoint (death of index or partner HIV infection).

HPTN 052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run Date – August 31, 2015
Visit Cutoff Date – August 24, 2015
Participant Retention, by Site and Visit – Partners

	Africa							
	Total	Gaborone, Botswana	Kisumu, Kenya	Blantyre, Malawi	Lilongwe, Malawi	Johannesburg , South Africa	Soweto, South Africa	Harare, Zimbabwe
Month 48 visit								
Expected ^{1,2}	1600	61	57	205	225	41	39	225
Retained ³	1301 (81%)	58 (95%)	52 (91%)	160 (78%)	171 (76%)	31 (76%)	38 (97%)	182 (81%)
Who missed visit	177 (11%)	2 (3%)	1 (2%)	29 (14%)	37 (16%)	4 (10%)	1 (3%)	21 (9%)
Lost to follow-up	123 (8%)	1 (2%)	4 (7%)	16 (8%)	18 (8%)	6 (15%)	0 (0%)	22 (10%)
Month 51 visit								
Expected ^{1,2}	1590	61	57	205	222	40	37	224
Retained ³	1267 (80%)	57 (93%)	52 (91%)	150 (73%)	166 (75%)	32 (80%)	37 (100%)	177 (79%)
Who missed visit	191 (12%)	3 (5%)	1 (2%)	39 (19%)	35 (16%)	2 (5%)	0 (0%)	23 (10%)
Lost to follow-up	133 (8%)	1 (2%)	4 (7%)	16 (8%)	22 (10%)	6 (15%)	0 (0%)	24 (11%)
Month 54 visit								
Expected ^{1,2}	1577	61	57	204	220	39	34	223
Retained ³	1250 (79%)	57 (93%)	48 (84%)	148 (73%)	165 (75%)	30 (77%)	34 (100%)	178 (80%)
Who missed visit	186 (12%)	3 (5%)	5 (9%)	40 (20%)	31 (14%)	3 (8%)	0 (0%)	21 (9%)
Lost to follow-up	142 (9%)	1 (2%)	4 (7%)	16 (8%)	25 (11%)	6 (15%)	0 (0%)	24 (11%)
Month 57 visit								
Expected ^{1,2}	1567	61	57	203	217	38	34	223
Retained ³	1224 (78%)	57 (93%)	51 (89%)	146 (72%)	164 (76%)	27 (71%)	34 (100%)	177 (79%)
Who missed visit	193 (12%)	3 (5%)	2 (4%)	41 (20%)	26 (12%)	5 (13%)	0 (0%)	22 (10%)
Lost to follow-up	151 (10%)	1 (2%)	4 (7%)	16 (8%)	28 (13%)	6 (16%)	0 (0%)	24 (11%)
Month 60 visit								
Expected ^{1,2}	1563	61	57	203	213	38	34	222
Retained ³	1227 (79%)	57 (93%)	52 (91%)	146 (72%)	162 (76%)	30 (79%)	34 (100%)	170 (77%)
Who missed visit	182 (12%)	3 (5%)	1 (2%)	40 (20%)	23 (11%)	2 (5%)	0 (0%)	28 (13%)
Lost to follow-up	155 (10%)	1 (2%)	4 (7%)	17 (8%)	29 (14%)	6 (16%)	0 (0%)	24 (11%)

1. participants are not considered expected for a visit until after the allowable visit window has closed.
2. partners are not considered expected for future visits when terminated due to death or relationship ended.
3. retained: completed visits or reached endpoint (death of index or partner HIV infection).

HPTN 052 – ART in the Prevention of HIV in Serodiscordant Couples
Report Run Date – August 31, 2015
Visit Cutoff Date – August 24, 2015
Participant Retention, by Site and Visit – Partners

	Africa							
	Total	Gaborone, Botswana	Kisumu, Kenya	Blantyre, Malawi	Lilongwe, Malawi	Johannesburg , South Africa	Soweto, South Africa	Harare, Zimbabwe
Month 63 visit								
Expected ^{1,2}	1555	61	57	201	210	38	34	222
Retained ³	1131 (73%)	48 (79%)	35 (61%)	139 (69%)	156 (74%)	28 (74%)	23 (68%)	159 (72%)
Who missed visit	263 (17%)	12 (20%)	18 (32%)	45 (22%)	26 (12%)	4 (11%)	11 (32%)	39 (18%)
Lost to follow-up	162 (10%)	1 (2%)	4 (7%)	17 (8%)	29 (14%)	6 (16%)	0 (0%)	24 (11%)

1. participants are not considered expected for a visit until after the allowable visit window has closed.

2. partners are not considered expected for future visits when terminated due to death or relationship ended.

3. retained: completed visits or reached endpoint (death of index or partner HIV infection).