

PCC
Dataset Not Labeled

Wednesday, April 16, 2025 11:11:00 AM 1

/trials/art/p052/analysis/dissemination/2022_10_PUD/output/datasets/PCC.sas7bdat, last modified on 14APR2025 at 13:05:39

There are 38 variables and 66 records

For variables with 20 or fewer unique values, all values are shown as a list, with the corresponding record counts.

For variables with > 20 unique values, the maximum, minimum, and sample middle values are shown with their corresponding record counts.

| Num | Name | Variable Label | Length | Format | Values For Sample Record (Record 34) | Num Unique Values | Non-Missing Values | Num Missing Values | Percent Unique Values | Percent Missing Values | Type of Value Shown | Raw Value | Value with Format | Num Recs with Value |
|-----|------------|--|--------|-----------|--------------------------------------|-------------------|--------------------|--------------------|-----------------------|------------------------|---------------------|-----------|-------------------|---------------------|
| 1 | publicid | Universal ID | 8. | no format | 8706 | 66 | 66 | 0 | 100 | 0 | Max | 17441 | 17441 | 1 |
| | | | | | | | | | | | Mid | 7582 | 7582 | 1 |
| | | | | | | | | | | | Min | 966 | 966 | 1 |
| 2 | visit | Visit Number | 4. | no format | 2011 | 44 | 66 | 0 | 66.667 | 0 | Max | 5901 | 5901 | 1 |
| | | | | | | | | | | | Mid | 2211 | 2211 | 2 |
| | | | | | | | | | | | Min | 401 | 401 | 1 |
| 3 | studyday | Derived Study Day (visit date - enrollment date) | 8. | no format | 580 | 63 | 66 | 0 | 95.455 | 0 | Max | 1744 | 1744 | 1 |
| | | | | | | | | | | | Mid | 587 | 587 | 1 |
| | | | | | | | | | | | Min | 91 | 91 | 1 |
| 4 | PCCicday | Initial Collection Study Day | 8. | BEST. | 580 | 63 | 66 | 0 | 95.455 | 0 | Max | 1744 | 1744 | 1 |
| | | | | | | | | | | | Mid | 587 | 587 | 1 |
| | | | | | | | | | | | Min | 91 | 91 | 1 |
| 5 | PCCalknd | 1a. ND/Not collected | 4. | CHECKBOX. | 0 | 1 | 66 | 0 | 1.515 | 0 | List | 0 | 0 | 66 |
| 6 | PCCalkday | 1a. Altn. Collection Study Day | 8. | BEST. | (missing) | 0 | 0 | 66 | 0 | 100 | List | . | . | 66 |
| 7 | PCCalk | 1a. Alkaline phosphatase | 8. | no format | 71 | 44 | 66 | 0 | 66.667 | 0 | Max | 136 | 136 | 1 |
| | | | | | | | | | | | Mid | 66 | 66 | 1 |
| | | | | | | | | | | | Min | 16 | 16 | 1 |
| 8 | PCCastnd | 1b. ND/Not collected | 4. | CHECKBOX. | 0 | 1 | 66 | 0 | 1.515 | 0 | List | 0 | 0 | 66 |
| 9 | PCCastday | 1b. Altn. Collection Study Day | 8. | BEST. | (missing) | 0 | 0 | 66 | 0 | 100 | List | . | . | 66 |
| 10 | PCCast | 1b. AST (SGOT) | 8. | no format | 25 | 31 | 66 | 0 | 46.97 | 0 | Max | 143 | 143 | 1 |
| | | | | | | | | | | | Mid | 31 | 31 | 2 |
| | | | | | | | | | | | Min | 16 | 16 | 1 |
| 11 | PCCalrnd | 1c. ND/Not collected | 4. | CHECKBOX. | 0 | 1 | 66 | 0 | 1.515 | 0 | List | 0 | 0 | 66 |
| 12 | PCCalrnday | 1c. Altn. Collection Study Day | 8. | BEST. | (missing) | 0 | 0 | 66 | 0 | 100 | List | . | . | 66 |

Dataset Not Labeled

/trials/art/p052/analysis/dissemination/2022_10_PUD/output/datasets/PCC.sas7bdat, last modified on 14APR2025 at 13:05:39

There are 38 variables and 66 records

For variables with 20 or fewer unique values, all values are shown as a list, with the corresponding record counts.

For variables with > 20 unique values, the maximum, minimum, and sample middle values are shown with their corresponding record counts.

| Num | Name | Variable Label | Length | Format | Values For Sample Record (Record 34) | Num Unique Values | Non-Missing Values | Num Missing Values | Percent Unique Values | Percent Missing Values | Type of Value Shown | Raw Value | Value with Format | Num Recs with Value |
|-----|-----------|--------------------------------|--------|------------|--------------------------------------|-------------------|--------------------|--------------------|-----------------------|------------------------|---------------------|---|-------------------|---|
| 13 | PCCalt | 1c. ALT (SGPT) | 8. | no format | 17 | 34 | 66 | 0 | 51.515 | 0 | Max Mid Min | 131 25 8 | 131 25 8 | 1 5 1 |
| 14 | PCCTbind | 1d. ND/Not collected | 4. | CHECKBO X. | 0 | 1 | 66 | 0 | 1.515 | 0 | List | 0 | 0 | 66 |
| 15 | PCCTbiday | 1d. Altn. Collection Study Day | 8. | BEST. | (missing) | 0 | 0 | 66 | 0 | 100 | List | . | | 66 |
| 16 | PCCTbi | 1d. Total bilirubin | 8. | no format | 0.6 | 13 | 66 | 0 | 19.697 | 0 | List | 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1 1.1 1.3 2 | | 1 5 11 8 6 9 8 5 7 3 1 1 1 1 |
| 17 | PCCsdmnd | 2a. ND/Not collected | 4. | CHECKBO X. | 0 | 1 | 66 | 0 | 1.515 | 0 | List | 0 | 0 | 66 |
| 18 | PCCsdmday | 2a. Altn. Collection Study Day | 8. | BEST. | (missing) | 0 | 0 | 66 | 0 | 100 | List | . | | 66 |

PCC
Dataset Not Labeled

/trials/art/p052/analysis/dissemination/2022_10_PUD/output/datasets/PCC.sas7bdat, last modified on 14APR2025 at 13:05:39

There are 38 variables and 66 records

For variables with 20 or fewer unique values, all values are shown as a list, with the corresponding record counts.

For variables with > 20 unique values, the maximum, minimum, and sample middle values are shown with their corresponding record counts.

| Num | Name | Variable Label | Length | Format | Values For Sample Record (Record 34) | Num Unique Values | Non-Missing Values | Num Missing Values | Percent Unique Values | Percent Missing Values | Type of Value Shown | Raw Value | Value with Format | Num Recs with Value |
|-----|-----------|--------------------------------|--------|------------|--------------------------------------|-------------------|--------------------|--------------------|-----------------------|------------------------|---------------------|-----------|-------------------|---------------------|
| 19 | PCCsdm | 2a. Sodium | 8. | no format | 138 | 11 | 66 | 0 | 16.667 | 0 | List | 134 | | 1 |
| | | | | | | | | | | | | 135 | | 2 |
| | | | | | | | | | | | | 136 | | 6 |
| | | | | | | | | | | | | 137 | | 11 |
| | | | | | | | | | | | | 138 | | 13 |
| | | | | | | | | | | | | 139 | | 8 |
| | | | | | | | | | | | | 140 | | 8 |
| | | | | | | | | | | | | 141 | | 6 |
| | | | | | | | | | | | | 142 | | 5 |
| | | | | | | | | | | | | 143 | | 4 |
| 144 | | 2 | | | | | | | | | | | | |
| 20 | PCCpsmnd | 2b. ND/Not collected | 4. | CHECKBO X. | 0 | 1 | 66 | 0 | 1.515 | 0 | List | 0 | 0 | 66 |
| 21 | PCCpsmday | 2b. Altn. Collection Study Day | 8. | BEST. | (missing) | 0 | 0 | 66 | 0 | 100 | List | . | | 66 |
| 22 | PCCpsm | 2b. Potassium | 8. | no format | 3.7 | 18 | 66 | 0 | 27.273 | 0 | List | 0 | | 1 |
| | | | | | | | | | | | | 2.9 | | 1 |
| | | | | | | | | | | | | 3.3 | | 1 |
| | | | | | | | | | | | | 3.5 | | 1 |
| | | | | | | | | | | | | 3.6 | | 2 |
| | | | | | | | | | | | | 3.7 | | 7 |
| | | | | | | | | | | | | 3.8 | | 3 |
| | | | | | | | | | | | | 3.9 | | 10 |
| | | | | | | | | | | | | 4 | | 3 |
| | | | | | | | | | | | | 4.1 | | 10 |
| | | | | | | | | | | | | 4.2 | | 11 |
| | | | | | | | | | | | | 4.3 | | 5 |
| | | | | | | | | | | | | 4.4 | | 1 |
| 4.5 | | 4 | | | | | | | | | | | | |
| 4.6 | | 2 | | | | | | | | | | | | |
| 4.7 | | 1 | | | | | | | | | | | | |
| 4.9 | | 2 | | | | | | | | | | | | |
| 5.1 | | 1 | | | | | | | | | | | | |
| 23 | PCCchld | 2c. ND/Not collected | 4. | CHECKBO X. | 0 | 1 | 66 | 0 | 1.515 | 0 | List | 0 | 0 | 66 |
| 24 | PCCchlday | 2c. Altn. Collection Study Day | 8. | BEST. | (missing) | 0 | 0 | 66 | 0 | 100 | List | . | | 66 |

Dataset Not Labeled

/trials/art/p052/analysis/dissemination/2022_10_PUD/output/datasets/PCC.sas7bdat, last modified on 14APR2025 at 13:05:39

There are 38 variables and 66 records

For variables with 20 or fewer unique values, all values are shown as a list, with the corresponding record counts.

For variables with > 20 unique values, the maximum, minimum, and sample middle values are shown with their corresponding record counts.

| Num | Name | Variable Label | Length | Format | Values For Sample Record (Record 34) | Num Unique Values | Non-Missing Values | Num Missing Values | Percent Unique Values | Percent Missing Values | Type of Value Shown | Raw Value | Value with Format | Num Recs with Value |
|-----|-----------|--------------------------------|--------|---------------|--------------------------------------|-------------------|--------------------|--------------------|-----------------------|------------------------|---------------------|--|-------------------|---|
| 25 | PCCchl | 2c. Chloride | 8. | no format | 113 | 17 | 66 | 0 | 25.758 | 0 | List | 100 101 102 103 104 105 106 107 108 109 110 111 112 113 97 98 99 | | 3 5 4 3 9 6 7 5 3 11 2 2 1 1 1 1 |
| 26 | PCCphtnd | 2d. ND/Not collected | 4. | CHECKBO X. | 0 | 2 | 66 | 0 | 3.03 | 0 | List | 0 1 | 0 1 | 65 1 |
| 27 | PCCphtday | 2d. Altn. Collection Study Day | 8. | BEST. | (missing) | 0 | 0 | 66 | 0 | 100 | List | . | | 66 |
| 28 | PCCpht | 2d. Phosphate | 8. | no format | 3.9 | 28 | 65 | 1 | 43.077 | 1.515 | Max Mid Min | 76 3.2 1.2 | 76 3.2 1.2 | 1 3 1 |
| 29 | PCCbicnd | 2e. ND/Not collected | 4. | CHECKBO X. | 0 | 1 | 66 | 0 | 1.515 | 0 | List | 0 | 0 | 66 |
| 30 | PCCbicday | 2e. Altn. Collection Study Day | 8. | BEST. | (missing) | 0 | 0 | 66 | 0 | 100 | List | . | | 66 |

Dataset Not Labeled

/trials/art/p052/analysis/dissemination/2022_10_PUD/output/datasets/PCC.sas7bdat, last modified on 14APR2025 at 13:05:39

There are 38 variables and 66 records

For variables with 20 or fewer unique values, all values are shown as a list, with the corresponding record counts.

For variables with > 20 unique values, the maximum, minimum, and sample middle values are shown with their corresponding record counts.

| Num | Name | Variable Label | Length | Format | Values For Sample Record (Record 34) | Num Unique Values | Non-Missing Values | Num Missing Values | Percent Unique Values | Percent Missing Values | Type of Value Shown | Raw Value | Value with Format | Num Recs with Value |
|-----|-----------|--------------------------------|--------|------------|--------------------------------------|-------------------|--------------------|--------------------|-----------------------|------------------------|---------------------|-------------------|-------------------|---------------------|
| 31 | PCCbic | 2e. CO2/bicarbonate | 8. | no format | 26 | 15 | 66 | 0 | 22.727 | 0 | List | 16 | | 1 |
| | | | | | | | | | | | | 19 | | 3 |
| | | | | | | | | | | | | 20 | | 3 |
| | | | | | | | | | | | | 21 | | 3 |
| | | | | | | | | | | | | 22 | | 6 |
| | | | | | | | | | | | | 23 | | 6 |
| | | | | | | | | | | | | 24 | | 8 |
| | | | | | | | | | | | | 25 | | 10 |
| | | | | | | | | | | | | 26 | | 6 |
| | | | | | | | | | | | | 27 | | 10 |
| | | | | | | | | | | | | 28 | | 1 |
| | | | | | | | | | | | | 29 | | 4 |
| | | | | | | | | | | | | 30 | | 2 |
| | | | | | | | | | | | | 31 | | 1 |
| | | | | | | | | | | | | 33 | | 2 |
| 32 | PCCcrend | 3a. ND/Not collected | 4. | CHECKBO X. | 0 | 1 | 66 | 0 | 1.515 | 0 | List | 0 | 0 | 66 |
| 33 | PCCcreday | 3a. Altn. Collection Study Day | 8. | BEST. | (missing) | 0 | 0 | 66 | 0 | 100 | List | . | | 66 |
| 34 | PCCcre | 3a. Creatinine | 8. | no format | 0.8 | 10 | 66 | 0 | 15.152 | 0 | List | 0.4 | | 2 |
| | | | | | | | | | | | | 0.5 | | 6 |
| | | | | | | | | | | | | 0.6 | | 4 |
| | | | | | | | | | | | | 0.7 | | 11 |
| | | | | | | | | | | | | 0.8 | | 22 |
| | | | | | | | | | | | | 0.9 | | 9 |
| | | | | | | | | | | | | 1 | | 6 |
| | | | | | | | | | | | | 1.1 | | 3 |
| | | | | | | | | | | | | 1.2 | | 2 |
| | | | | | | | | | | | | 1.3 | | 1 |
| 35 | PCCalbnd | 4a. ND/Not collected | 4. | CHECKBO X. | 0 | 1 | 66 | 0 | 1.515 | 0 | List | 0 | 0 | 66 |
| 36 | PCCalbday | 4a. Altn. Collection Study Day | 8. | BEST. | (missing) | 0 | 0 | 66 | 0 | 100 | List | . | | 66 |
| 37 | PCCalb | 4a. Albumin | 8. | no format | 3.6 | 22 | 66 | 0 | 33.333 | 0 | Max Mid Min | 5.5 3.8 2.5 | 5.5 3.8 2.5 | 1 3 1 |
| 38 | PCCcomm | Comments | \$1 | no format | (blank) | 1 | 3 | 63 | 33.333 | 95.455 | List | Y | | 63 3 |