

**HPTN 061 - Feasibility Study of a Community-level Intervention for Black MSM
Atlas Study Report - December 18, 2013**

Table 4 - Health Care Utilization

	Total	California Los Angeles	California San Francisco	Georgia	Massachusetts Boston	New York Harlem	New York NYBC	Washington, DC
Number enrolled	1553	283	204	292	237	154	156	227
Participants who has a particular place where they usually go when they are sick or in need of health care	1217/1553 (78%)	207/283 (73%)	176/204 (86%)	215/292 (74%)	207/237 (87%)	118/154 (77%)	124/156 (79%)	170/227 (75%)
Where do you go?								
HIV/AIDS street outreach program/Mobile Unit	12/1217 (1%)	9/207 (4%)	0/176 (0%)	1/215 (<1%)	1/207 (<1%)	1/118 (1%)	0/124 (0%)	0/170 (0%)
HIV counseling and testing site	19/1217 (2%)	6/207 (3%)	0/176 (0%)	4/215 (2%)	7/207 (3%)	0/118 (0%)	0/124 (0%)	2/170 (1%)
Needle exchange program	0/1217 (0%)	0/207 (0%)	0/176 (0%)	0/215 (0%)	0/207 (0%)	0/118 (0%)	0/124 (0%)	0/170 (0%)
Adult HIV/AIDS or infectious disease clinic	33/1217 (3%)	19/207 (9%)	3/176 (2%)	1/215 (<1%)	0/207 (0%)	1/118 (1%)	6/124 (5%)	3/170 (2%)
Sexually transmitted disease clinic	14/1217 (1%)	0/207 (0%)	1/176 (1%)	0/215 (0%)	5/207 (2%)	0/118 (0%)	0/124 (0%)	8/170 (5%)
Community health center/public health clinic/free clinic	471/1217 (39%)	105/207 (51%)	87/176 (49%)	66/215 (31%)	129/207 (62%)	18/118 (15%)	36/124 (29%)	30/170 (18%)
Family planning clinic	16/1217 (1%)	4/207 (2%)	1/176 (1%)	0/215 (0%)	5/207 (2%)	3/118 (3%)	0/124 (0%)	3/170 (2%)
Hospital outpatient clinic	276/1217 (23%)	43/207 (21%)	47/176 (27%)	36/215 (17%)	59/207 (29%)	32/118 (27%)	29/124 (23%)	30/170 (18%)
Emergency room	320/1217 (26%)	22/207 (11%)	20/176 (11%)	95/215 (44%)	55/207 (27%)	55/118 (47%)	42/124 (34%)	31/170 (18%)
Drug treatment program	7/1217 (1%)	0/207 (0%)	1/176 (1%)	1/215 (<1%)	3/207 (1%)	0/118 (0%)	2/124 (2%)	0/170 (0%)
Private doctor's office (including HMO)	181/1217 (15%)	15/207 (7%)	23/176 (13%)	19/215 (9%)	13/207 (6%)	14/118 (12%)	29/124 (23%)	68/170 (40%)
Correctional facility (jail or prison)	13/1217 (1%)	5/207 (2%)	2/176 (1%)	1/215 (<1%)	4/207 (2%)	1/118 (1%)	0/124 (0%)	0/170 (0%)
Military	39/1217 (3%)	7/207 (3%)	14/176 (8%)	13/215 (6%)	3/207 (1%)	0/118 (0%)	0/124 (0%)	2/170 (1%)
Home health care	1/1217 (<1%)	0/207 (0%)	0/176 (0%)	0/215 (0%)	0/207 (0%)	0/118 (0%)	0/124 (0%)	1/170 (1%)
Other	35/1217 (3%)	10/207 (5%)	2/176 (1%)	10/215 (5%)	2/207 (1%)	2/118 (2%)	3/124 (2%)	6/170 (4%)
In the last 6 months, participants who have seen a health care provider	927/1553 (60%)	151/283 (53%)	128/204 (63%)	143/292 (49%)	166/237 (70%)	94/154 (61%)	103/156 (66%)	142/227 (63%)
In the last 6 months, participants went to a mental health care provider, psychologist, therapist, or counselor	372/1553 (24%)	84/283 (30%)	48/204 (24%)	34/292 (12%)	79/237 (33%)	41/154 (27%)	43/156 (28%)	43/227 (19%)
In the last 6 months, participants went to a substance abuse counselor, participate in a drug/alcohol use or treatment program	278/1553 (18%)	63/283 (22%)	52/204 (25%)	29/292 (10%)	49/237 (21%)	27/154 (18%)	36/156 (23%)	22/227 (10%)

* Participants could mark all the categories that apply.

**HPTN 061 - Feasibility Study of a Community-level Intervention for Black MSM
Atlas Study Report - December 18, 2013**

Table 4 - Health Care Utilization

	Total	California Los Angeles	California San Francisco	Georgia	Massachusetts Boston	New York Harlem	New York NYBC	Washington, DC
In the last 6 months, participants ever needed health care but could not get it	182/1553 (12%)	30/283 (11%)	33/204 (16%)	33/292 (11%)	25/237 (11%)	18/154 (12%)	22/156 (14%)	21/227 (9%)
What prevented you from getting health care? [*]								
It was too expensive or not covered by insurance	127/182 (70%)	20/30 (67%)	25/33 (76%)	24/33 (73%)	10/25 (40%)	13/18 (72%)	20/22 (91%)	15/21 (71%)
I couldn't get an appointment	6/182 (3%)	1/30 (3%)	1/33 (3%)	2/33 (6%)	1/25 (4%)	0/18 (0%)	1/22 (5%)	0/21 (0%)
I didn't know any place to go	18/182 (10%)	3/30 (10%)	6/33 (18%)	4/33 (12%)	4/25 (16%)	0/18 (0%)	0/22 (0%)	1/21 (5%)
I didn't know who to call	3/182 (2%)	0/30 (0%)	1/33 (3%)	1/33 (3%)	1/25 (4%)	0/18 (0%)	0/22 (0%)	0/21 (0%)
I had no way to get there	6/182 (3%)	3/30 (10%)	0/33 (0%)	0/33 (0%)	3/25 (12%)	0/18 (0%)	0/22 (0%)	0/21 (0%)
I couldn't get child care	0/182 (0%)	0/30 (0%)	0/33 (0%)	0/33 (0%)	0/25 (0%)	0/18 (0%)	0/22 (0%)	0/21 (0%)
I was in jail, prison, or juvenile detention center	4/182 (2%)	0/30 (0%)	1/33 (3%)	0/33 (0%)	1/25 (4%)	2/18 (11%)	0/22 (0%)	0/21 (0%)
There was no place I felt comfortable because of my race/ethnicity	0/182 (0%)	0/30 (0%)	0/33 (0%)	0/33 (0%)	0/25 (0%)	0/18 (0%)	0/22 (0%)	0/21 (0%)
There was no place I felt comfortable because of my HIV status	1/182 (1%)	0/30 (0%)	0/33 (0%)	0/33 (0%)	0/25 (0%)	0/18 (0%)	0/22 (0%)	1/21 (5%)
There was no place I felt comfortable because I have sex with men	3/182 (2%)	0/30 (0%)	0/33 (0%)	0/33 (0%)	3/25 (12%)	0/18 (0%)	0/22 (0%)	0/21 (0%)
There was no place I felt comfortable because I am homeless	2/182 (1%)	0/30 (0%)	0/33 (0%)	0/33 (0%)	1/25 (4%)	0/18 (0%)	1/22 (5%)	0/21 (0%)
There was no place I felt comfortable because I use needles to inject drugs	0/182 (0%)	0/30 (0%)	0/33 (0%)	0/33 (0%)	0/25 (0%)	0/18 (0%)	0/22 (0%)	0/21 (0%)
There was no place I felt comfortable because I use other drugs to get high	0/182 (0%)	0/30 (0%)	0/33 (0%)	0/33 (0%)	0/25 (0%)	0/18 (0%)	0/22 (0%)	0/21 (0%)
There was no place I felt comfortable because I was high/drank	0/182 (0%)	0/30 (0%)	0/33 (0%)	0/33 (0%)	0/25 (0%)	0/18 (0%)	0/22 (0%)	0/21 (0%)
Other	48/182 (26%)	7/30 (23%)	9/33 (27%)	6/33 (18%)	13/25 (52%)	5/18 (28%)	4/22 (18%)	4/21 (19%)

^{*} Participants could mark all the categories that apply.

**HPTN 061 - Feasibility Study of a Community-level Intervention for Black MSM
Atlas Study Report - December 18, 2013**

Table 4 - Health Care Utilization

	Total	California Los Angeles	California San Francisco	Georgia	Massachusetts Boston	New York Harlem	New York NYBC	Washington, DC
In the last 6 months, about how many scheduled health care visits did you miss?								
Less than half	531/1479 (36%)	126/270 (47%)	63/191 (33%)	153/285 (54%)	49/224 (22%)	44/150 (29%)	40/144 (28%)	56/215 (26%)
About half	675/1479 (46%)	114/270 (42%)	80/191 (42%)	109/285 (38%)	84/224 (38%)	77/150 (51%)	76/144 (53%)	135/215 (63%)
More than half	211/1479 (14%)	23/270 (9%)	36/191 (19%)	18/285 (6%)	69/224 (31%)	24/150 (16%)	22/144 (15%)	19/215 (9%)
All	62/1479 (4%)	7/270 (3%)	12/191 (6%)	5/285 (2%)	22/224 (10%)	5/150 (3%)	6/144 (4%)	5/215 (2%)
What prevented you from keeping your appointment(s)?*								
Forgot	124/346 (36%)	9/42 (21%)	25/61 (41%)	10/30 (33%)	53/104 (51%)	6/33 (18%)	13/40 (33%)	8/36 (22%)
Didn't feel like going	61/346 (18%)	9/42 (21%)	4/61 (7%)	2/30 (7%)	26/104 (25%)	3/33 (9%)	11/40 (28%)	6/36 (17%)
Had transportation problems	45/346 (13%)	8/42 (19%)	3/61 (5%)	3/30 (10%)	18/104 (17%)	5/33 (15%)	6/40 (15%)	2/36 (6%)
Didn't know where to go	6/346 (2%)	0/42 (0%)	1/61 (2%)	0/30 (0%)	4/104 (4%)	0/33 (0%)	1/40 (3%)	0/36 (0%)
Had something else I had to do	79/346 (23%)	7/42 (17%)	9/61 (15%)	5/30 (17%)	32/104 (31%)	5/33 (15%)	15/40 (38%)	6/36 (17%)
Got tired of waiting to see the doctor or nurse and left	4/346 (1%)	0/42 (0%)	1/61 (2%)	0/30 (0%)	3/104 (3%)	0/33 (0%)	0/40 (0%)	0/36 (0%)
Didn't feel sick	12/346 (3%)	0/42 (0%)	3/61 (5%)	2/30 (7%)	4/104 (4%)	0/33 (0%)	2/40 (5%)	1/36 (3%)
Didn't want to think about being HIV-positive	2/346 (1%)	0/42 (0%)	0/61 (0%)	0/30 (0%)	2/104 (2%)	0/33 (0%)	0/40 (0%)	0/36 (0%)
Had to go to school	12/346 (3%)	2/42 (5%)	1/61 (2%)	0/30 (0%)	2/104 (2%)	2/33 (6%)	4/40 (10%)	1/36 (3%)
Had to go to work	37/346 (11%)	3/42 (7%)	4/61 (7%)	7/30 (23%)	9/104 (9%)	2/33 (6%)	4/40 (10%)	8/36 (22%)
Was afraid someone might find out I was sick or that I was worried about being sick	2/346 (1%)	0/42 (0%)	0/61 (0%)	0/30 (0%)	1/104 (1%)	0/33 (0%)	1/40 (3%)	0/36 (0%)
Didn't like my doctor or nurse	5/346 (1%)	0/42 (0%)	0/61 (0%)	0/30 (0%)	3/104 (3%)	0/33 (0%)	2/40 (5%)	0/36 (0%)
Couldn't afford it	14/346 (4%)	0/42 (0%)	4/61 (7%)	1/30 (3%)	4/104 (4%)	3/33 (9%)	1/40 (3%)	1/36 (3%)
Didn't feel respected by health care providers	3/346 (1%)	0/42 (0%)	1/61 (2%)	0/30 (0%)	2/104 (2%)	0/33 (0%)	0/40 (0%)	0/36 (0%)
Other	81/346 (23%)	9/42 (21%)	21/61 (34%)	4/30 (13%)	24/104 (23%)	11/33 (33%)	6/40 (15%)	6/36 (17%)

* Participants could mark all the categories that apply.