

HPTN 061 - Feasibility Study of a Community-level Intervention for Black MSM
Atlas Daily Report - July 31, 2013
Visit Cutoff Date: September 17, 2012
Table 3a - Reasons for Missed Visits, by Site
All Participants

	Total	California Los Angeles	California San Francisco	Georgia	Massachusetts Boston	New York Harlem	New York NYBC	Washington, DC
Number of expected participants missed week 26 visit and the allowable window is closed	274	47	43	72	49	11	23	29
Number Missed Visit form received	272/274 (99%)	47/47 (100%)	43/43 (100%)	72/72 (100%)	47/49 (96%)	11/11 (100%)	23/23 (100%)	29/29 (100%)
Unable to contact participant	189/272 (69%)	25/47 (53%)	36/43 (84%)	55/72 (76%)	29/47 (62%)	6/11 (55%)	20/23 (87%)	18/29 (62%)
Unable to schedule appointment(s) within allowable window	25/272 (9%)	7/47 (15%)	0/43 (0%)	4/72 (6%)	11/47 (23%)	1/11 (9%)	0/23 (0%)	2/29 (7%)
Participant refused visit	6/272 (2%)	2/47 (4%)	1/43 (2%)	1/72 (1%)	0/47 (0%)	0/11 (0%)	1/23 (4%)	1/29 (3%)
Participant incarcerated	26/272 (10%)	9/47 (19%)	3/43 (7%)	6/72 (8%)	4/47 (9%)	3/11 (27%)	0/23 (0%)	1/29 (3%)
Participant admitted to a health care facility	1/272 (<1%)	1/47 (2%)	0/43 (0%)	0/72 (0%)	0/47 (0%)	0/11 (0%)	0/23 (0%)	0/29 (0%)
Participant withdrew from the study	6/272 (2%)	0/47 (0%)	0/43 (0%)	0/72 (0%)	2/47 (4%)	0/11 (0%)	0/23 (0%)	4/29 (14%)
Participant deceased	3/272 (1%)	0/47 (0%)	0/43 (0%)	0/72 (0%)	1/47 (2%)	1/11 (9%)	1/23 (4%)	0/29 (0%)
Other	16/272 (6%)	3/47 (6%)	3/43 (7%)	6/72 (8%)	0/47 (0%)	0/11 (0%)	1/23 (4%)	3/29 (10%)
Number of expected participants missed week 52 visit and the allowable window is closed	248	32	37	60	61	10	20	28
Number Missed Visit form received	184/248 (74%)	32/32 (100%)	37/37 (100%)	59/60 (98%)	0/61 (0%)	9/10 (90%)	19/20 (95%)	28/28 (100%)
Unable to contact participant	146/184 (79%)	18/32 (56%)	36/37 (97%)	45/59 (76%)	-	7/9 (78%)	19/19 (100%)	21/28 (75%)
Unable to schedule appointment(s) within allowable window	5/184 (3%)	0/32 (0%)	0/37 (0%)	2/59 (3%)	-	0/9 (0%)	0/19 (0%)	3/28 (11%)
Participant refused visit	1/184 (1%)	1/32 (3%)	0/37 (0%)	0/59 (0%)	-	0/9 (0%)	0/19 (0%)	0/28 (0%)
Participant incarcerated	27/184 (15%)	10/32 (31%)	0/37 (0%)	12/59 (20%)	-	2/9 (22%)	0/19 (0%)	3/28 (11%)
Participant admitted to a health care facility	0/184 (0%)	0/32 (0%)	0/37 (0%)	0/59 (0%)	-	0/9 (0%)	0/19 (0%)	0/28 (0%)
Participant withdrew from the study	0/184 (0%)	0/32 (0%)	0/37 (0%)	0/59 (0%)	-	0/9 (0%)	0/19 (0%)	0/28 (0%)
Participant deceased	3/184 (2%)	2/32 (6%)	1/37 (3%)	0/59 (0%)	-	0/9 (0%)	0/19 (0%)	0/28 (0%)
Other	2/184 (1%)	1/32 (3%)	0/37 (0%)	0/59 (0%)	-	0/9 (0%)	0/19 (0%)	1/28 (4%)

HPTN 061 - Feasibility Study of a Community-level Intervention for Black MSM

Atlas Daily Report - July 31, 2013

Visit Cutoff Date: September 17, 2012

Table 3b - Reasons for Missed Visits, by Site

HIV +, New Diagnosis or Not in Care and Had UAI with HIV - or Unknown Serostatus Partners

	Total	California Los Angeles	California San Francisco	Georgia	Massachusetts Boston	New York Harlem	New York NYBC	Washington, DC
Number of expected participants missed week 26 visit and the allowable window is closed	39	12	3	12	4	0	4	4
Number Missed Visit form received	39/39 (100%)	12/12 (100%)	3/3 (100%)	12/12 (100%)	4/4 (100%)	-	4/4 (100%)	4/4 (100%)
Unable to contact participant	26/39 (67%)	6/12 (50%)	3/3 (100%)	10/12 (83%)	1/4 (25%)	-	3/4 (75%)	3/4 (75%)
Unable to schedule appointment(s) within allowable window	2/39 (5%)	1/12 (8%)	0/3 (0%)	0/12 (0%)	1/4 (25%)	-	0/4 (0%)	0/4 (0%)
Participant refused visit	1/39 (3%)	0/12 (0%)	0/3 (0%)	0/12 (0%)	0/4 (0%)	-	1/4 (25%)	0/4 (0%)
Participant incarcerated	6/39 (15%)	3/12 (25%)	0/3 (0%)	1/12 (8%)	2/4 (50%)	-	0/4 (0%)	0/4 (0%)
Participant admitted to a health care facility	1/39 (3%)	1/12 (8%)	0/3 (0%)	0/12 (0%)	0/4 (0%)	-	0/4 (0%)	0/4 (0%)
Participant withdrew from the study	1/39 (3%)	0/12 (0%)	0/3 (0%)	0/12 (0%)	0/4 (0%)	-	0/4 (0%)	1/4 (25%)
Participant deceased	0/39 (0%)	0/12 (0%)	0/3 (0%)	0/12 (0%)	0/4 (0%)	-	0/4 (0%)	0/4 (0%)
Other	2/39 (5%)	1/12 (8%)	0/3 (0%)	1/12 (8%)	0/4 (0%)	-	0/4 (0%)	0/4 (0%)
Number of expected participants missed week 52 visit and the allowable window is closed	27	11	3	4	5	0	2	2
Number Missed Visit form received	22/27 (81%)	11/11 (100%)	3/3 (100%)	4/4 (100%)	0/5 (0%)	-	2/2 (100%)	2/2 (100%)
Unable to contact participant	13/22 (59%)	4/11 (36%)	3/3 (100%)	2/4 (50%)	-	-	2/2 (100%)	2/2 (100%)
Unable to schedule appointment(s) within allowable window	0/22 (0%)	0/11 (0%)	0/3 (0%)	0/4 (0%)	-	-	0/2 (0%)	0/2 (0%)
Participant refused visit	0/22 (0%)	0/11 (0%)	0/3 (0%)	0/4 (0%)	-	-	0/2 (0%)	0/2 (0%)
Participant incarcerated	8/22 (36%)	6/11 (55%)	0/3 (0%)	2/4 (50%)	-	-	0/2 (0%)	0/2 (0%)
Participant admitted to a health care facility	0/22 (0%)	0/11 (0%)	0/3 (0%)	0/4 (0%)	-	-	0/2 (0%)	0/2 (0%)
Participant withdrew from the study	0/22 (0%)	0/11 (0%)	0/3 (0%)	0/4 (0%)	-	-	0/2 (0%)	0/2 (0%)
Participant deceased	1/22 (5%)	1/11 (9%)	0/3 (0%)	0/4 (0%)	-	-	0/2 (0%)	0/2 (0%)
Other	0/22 (0%)	0/11 (0%)	0/3 (0%)	0/4 (0%)	-	-	0/2 (0%)	0/2 (0%)

HPTN 061 - Feasibility Study of a Community-level Intervention for Black MSM
Atlas Daily Report - July 31, 2013
Visit Cutoff Date: September 17, 2012
Table 3c - Reasons for Missed Visits, by Site
HIV Negative

	Total	California Los Angeles	California San Francisco	Georgia	Massachusetts Boston	New York Harlem	New York NYBC	Washington, DC
Number of expected participants missed week 26 visit and the allowable window is closed	216	32	38	57	42	11	16	20
Number Missed Visit form received	215/216 (100%)	32/32 (100%)	38/38 (100%)	57/57 (100%)	41/42 (98%)	11/11 (100%)	16/16 (100%)	20/20 (100%)
Unable to contact participant	153/215 (71%)	17/32 (53%)	33/38 (87%)	43/57 (75%)	26/41 (63%)	6/11 (55%)	15/16 (94%)	13/20 (65%)
Unable to schedule appointment(s) within allowable window	21/215 (10%)	6/32 (19%)	0/38 (0%)	4/57 (7%)	10/41 (24%)	1/11 (9%)	0/16 (0%)	0/20 (0%)
Participant refused visit	3/215 (1%)	2/32 (6%)	1/38 (3%)	0/57 (0%)	0/41 (0%)	0/11 (0%)	0/16 (0%)	0/20 (0%)
Participant incarcerated	18/215 (8%)	6/32 (19%)	1/38 (3%)	5/57 (9%)	2/41 (5%)	3/11 (27%)	0/16 (0%)	1/20 (5%)
Participant admitted to a health care facility	0/215 (0%)	0/32 (0%)	0/38 (0%)	0/57 (0%)	0/41 (0%)	0/11 (0%)	0/16 (0%)	0/20 (0%)
Participant withdrew from the study	5/215 (2%)	0/32 (0%)	0/38 (0%)	0/57 (0%)	2/41 (5%)	0/11 (0%)	0/16 (0%)	3/20 (15%)
Participant deceased	2/215 (1%)	0/32 (0%)	0/38 (0%)	0/57 (0%)	1/41 (2%)	1/11 (9%)	0/16 (0%)	0/20 (0%)
Other	13/215 (6%)	1/32 (3%)	3/38 (8%)	5/57 (9%)	0/41 (0%)	0/11 (0%)	1/16 (6%)	3/20 (15%)
Number of expected participants missed week 52 visit and the allowable window is closed	211	20	33	55	53	10	16	24
Number Missed Visit form received	156/211 (74%)	20/20 (100%)	33/33 (100%)	54/55 (98%)	0/53 (0%)	9/10 (90%)	16/16 (100%)	24/24 (100%)
Unable to contact participant	130/156 (83%)	14/20 (70%)	32/33 (97%)	42/54 (78%)	-	7/9 (78%)	16/16 (100%)	19/24 (79%)
Unable to schedule appointment(s) within allowable window	3/156 (2%)	0/20 (0%)	0/33 (0%)	2/54 (4%)	-	0/9 (0%)	0/16 (0%)	1/24 (4%)
Participant refused visit	1/156 (1%)	1/20 (5%)	0/33 (0%)	0/54 (0%)	-	0/9 (0%)	0/16 (0%)	0/24 (0%)
Participant incarcerated	19/156 (12%)	4/20 (20%)	0/33 (0%)	10/54 (19%)	-	2/9 (22%)	0/16 (0%)	3/24 (13%)
Participant admitted to a health care facility	0/156 (0%)	0/20 (0%)	0/33 (0%)	0/54 (0%)	-	0/9 (0%)	0/16 (0%)	0/24 (0%)
Participant withdrew from the study	0/156 (0%)	0/20 (0%)	0/33 (0%)	0/54 (0%)	-	0/9 (0%)	0/16 (0%)	0/24 (0%)
Participant deceased	2/156 (1%)	1/20 (5%)	1/33 (3%)	0/54 (0%)	-	0/9 (0%)	0/16 (0%)	0/24 (0%)
Other	1/156 (1%)	0/20 (0%)	0/33 (0%)	0/54 (0%)	-	0/9 (0%)	0/16 (0%)	1/24 (4%)

HPTN 061 - Feasibility Study of a Community-level Intervention for Black MSM
Atlas Daily Report - July 31, 2013
Visit Cutoff Date: September 17, 2012
Table 3d - Reasons for Missed Visits, by Site
Refuse HIV Test

	Total	California Los Angeles	California San Francisco	Georgia	Massachusetts Boston	New York Harlem	New York NYBC	Washington, DC
Number of expected participants missed week 26 visit and the allowable window is closed	19	3	2	3	3	0	3	5
Number Missed Visit form received	18/19 (95%)	3/3 (100%)	2/2 (100%)	3/3 (100%)	2/3 (67%)	-	3/3 (100%)	5/5 (100%)
Unable to contact participant	10/18 (56%)	2/3 (67%)	0/2 (0%)	2/3 (67%)	2/2 (100%)	-	2/3 (67%)	2/5 (40%)
Unable to schedule appointment(s) within allowable window	2/18 (11%)	0/3 (0%)	0/2 (0%)	0/3 (0%)	0/2 (0%)	-	0/3 (0%)	2/5 (40%)
Participant refused visit	2/18 (11%)	0/3 (0%)	0/2 (0%)	1/3 (33%)	0/2 (0%)	-	0/3 (0%)	1/5 (20%)
Participant incarcerated	2/18 (11%)	0/3 (0%)	2/2 (100%)	0/3 (0%)	0/2 (0%)	-	0/3 (0%)	0/5 (0%)
Participant admitted to a health care facility	0/18 (0%)	0/3 (0%)	0/2 (0%)	0/3 (0%)	0/2 (0%)	-	0/3 (0%)	0/5 (0%)
Participant withdrew from the study	0/18 (0%)	0/3 (0%)	0/2 (0%)	0/3 (0%)	0/2 (0%)	-	0/3 (0%)	0/5 (0%)
Participant deceased	1/18 (6%)	0/3 (0%)	0/2 (0%)	0/3 (0%)	0/2 (0%)	-	1/3 (33%)	0/5 (0%)
Other	1/18 (6%)	1/3 (33%)	0/2 (0%)	0/3 (0%)	0/2 (0%)	-	0/3 (0%)	0/5 (0%)
Number of expected participants missed week 52 visit and the allowable window is closed	10	1	1	1	3	0	2	2
Number Missed Visit form received	6/10 (60%)	1/1 (100%)	1/1 (100%)	1/1 (100%)	0/3 (0%)	-	1/2 (50%)	2/2 (100%)
Unable to contact participant	3/6 (50%)	0/1 (0%)	1/1 (100%)	1/1 (100%)	-	-	1/1 (100%)	0/2 (0%)
Unable to schedule appointment(s) within allowable window	2/6 (33%)	0/1 (0%)	0/1 (0%)	0/1 (0%)	-	-	0/1 (0%)	2/2 (100%)
Participant refused visit	0/6 (0%)	0/1 (0%)	0/1 (0%)	0/1 (0%)	-	-	0/1 (0%)	0/2 (0%)
Participant incarcerated	0/6 (0%)	0/1 (0%)	0/1 (0%)	0/1 (0%)	-	-	0/1 (0%)	0/2 (0%)
Participant admitted to a health care facility	0/6 (0%)	0/1 (0%)	0/1 (0%)	0/1 (0%)	-	-	0/1 (0%)	0/2 (0%)
Participant withdrew from the study	0/6 (0%)	0/1 (0%)	0/1 (0%)	0/1 (0%)	-	-	0/1 (0%)	0/2 (0%)
Participant deceased	0/6 (0%)	0/1 (0%)	0/1 (0%)	0/1 (0%)	-	-	0/1 (0%)	0/2 (0%)
Other	1/6 (17%)	1/1 (100%)	0/1 (0%)	0/1 (0%)	-	-	0/1 (0%)	0/2 (0%)