


HPTN 084: A Phase 3 Double Blind Safety and Efficacy Study of Long-Acting Injectable Cabotegravir Compared to Daily Oral TDF/FTC for Pre-Exposure Prophylaxis in HIV-Uninfected Women

Visit cutoff date – December 13, 2022


Figure O4. COVID-19 Injection Disruption Plot – All Sites



HPTN 084: A Phase 3 Double Blind Safety and Efficacy Study of Long-Acting Injectable Cabotegravir Compared to Daily Oral TDF/FTC for Pre-Exposure Prophylaxis in HIV-Uninfected Women

Visit cutoff date – December 13, 2022


Figure O4. COVID-19 Injection Disruption Plot – South Africa: Kwa Zulu Natal: Verulam CRS



HPTN 084: A Phase 3 Double Blind Safety and Efficacy Study of Long-Acting Injectable Cabotegravir Compared to Daily Oral TDF/FTC for Pre-Exposure Prophylaxis in HIV-Uninfected Women

Visit cutoff date – December 13, 2022


Figure O4. COVID-19 Injection Disruption Plot – Malawi: Lilongwe: Malawi CRS



HPTN 084: A Phase 3 Double Blind Safety and Efficacy Study of Long-Acting Injectable Cabotegravir Compared to Daily Oral TDF/FTC for Pre-Exposure Prophylaxis in HIV-Uninfected Women

Visit cutoff date – December 13, 2022


Figure O4. COVID-19 Injection Disruption Plot – Botswana: Gaborone: Gaborone CRS



HPTN 084: A Phase 3 Double Blind Safety and Efficacy Study of Long-Acting Injectable Cabotegravir Compared to Daily Oral TDF/FTC for Pre-Exposure Prophylaxis in HIV-Uninfected Women

Visit cutoff date – December 13, 2022


Figure O4. COVID-19 Injection Disruption Plot – Uganda: Kampala: MU-JHU Research Collaboration CRS



HPTN 084: A Phase 3 Double Blind Safety and Efficacy Study of Long-Acting Injectable Cabotegravir Compared to Daily Oral TDF/FTC for Pre-Exposure Prophylaxis in HIV-Uninfected Women

Visit cutoff date – December 13, 2022


Figure O4. COVID-19 Injection Disruption Plot – Zimbabwe: Chitungwiza: Seke South CRS



HPTN 084: A Phase 3 Double Blind Safety and Efficacy Study of Long-Acting Injectable Cabotegravir Compared to Daily Oral TDF/FTC for Pre-Exposure Prophylaxis in HIV-Uninfected Women

Visit cutoff date – December 13, 2022


Figure O4. COVID-19 Injection Disruption Plot – Malawi: Blantyre: Blantyre CRS



HPTN 084: A Phase 3 Double Blind Safety and Efficacy Study of Long-Acting Injectable Cabotegravir Compared to Daily Oral TDF/FTC for Pre-Exposure Prophylaxis in HIV-Uninfected Women

Visit cutoff date – December 13, 2022


Figure O4. COVID-19 Injection Disruption Plot – Zimbabwe: Chitungwiza: St.Mary's CRS



HPTN 084: A Phase 3 Double Blind Safety and Efficacy Study of Long-Acting Injectable Cabotegravir Compared to Daily Oral TDF/FTC for Pre-Exposure Prophylaxis in HIV-Uninfected Women

Visit cutoff date – December 13, 2022


Figure O4. COVID-19 Injection Disruption Plot – Zimbabwe: Harare: Parirenyatwa CRS



HPTN 084: A Phase 3 Double Blind Safety and Efficacy Study of Long-Acting Injectable Cabotegravir Compared to Daily Oral TDF/FTC for Pre-Exposure Prophylaxis in HIV-Uninfected Women

Visit cutoff date – December 13, 2022


Figure O4. COVID-19 Injection Disruption Plot – Zimbabwe: Harare: Spilhaus CRS



HPTN 084: A Phase 3 Double Blind Safety and Efficacy Study of Long-Acting Injectable Cabotegravir Compared to Daily Oral TDF/FTC for Pre-Exposure Prophylaxis in HIV-Uninfected Women

Visit cutoff date – December 13, 2022


Figure O4. COVID-19 Injection Disruption Plot – Zimbabwe: Chitungwiza: Zengeza CRS



HPTN 084: A Phase 3 Double Blind Safety and Efficacy Study of Long-Acting Injectable Cabotegravir Compared to Daily Oral TDF/FTC for Pre-Exposure Prophylaxis in HIV-Uninfected Women

Visit cutoff date – December 13, 2022


Figure O4. COVID-19 Injection Disruption Plot – South Africa: Cape Town: Emavundleni CRS



HPTN 084: A Phase 3 Double Blind Safety and Efficacy Study of Long-Acting Injectable Cabotegravir Compared to Daily Oral TDF/FTC for Pre-Exposure Prophylaxis in HIV-Uninfected Women

Visit cutoff date – December 13, 2022


Figure O4. COVID-19 Injection Disruption Plot – South Africa: Botha's Hill: Botha's Hill CRS



HPTN 084: A Phase 3 Double Blind Safety and Efficacy Study of Long-Acting Injectable Cabotegravir Compared to Daily Oral TDF/FTC for Pre-Exposure Prophylaxis in HIV-Uninfected Women

Visit cutoff date – December 13, 2022


Figure O4. COVID-19 Injection Disruption Plot – Kenya: Kisumu: Kisumu CRS



HPTN 084: A Phase 3 Double Blind Safety and Efficacy Study of Long-Acting Injectable Cabotegravir Compared to Daily Oral TDF/FTC for Pre-Exposure Prophylaxis in HIV-Uninfected Women

Visit cutoff date – December 13, 2022


Figure O4. COVID-19 Injection Disruption Plot – South Africa: Soweto: Soweto HPTN CRS



HPTN 084: A Phase 3 Double Blind Safety and Efficacy Study of Long-Acting Injectable Cabotegravir Compared to Daily Oral TDF/FTC for Pre-Exposure Prophylaxis in HIV-Uninfected Women

Visit cutoff date – December 13, 2022


Figure O4. COVID-19 Injection Disruption Plot – South Africa: Kwa Zulu Natal: Isipingo CRS



HPTN 084: A Phase 3 Double Blind Safety and Efficacy Study of Long-Acting Injectable Cabotegravir Compared to Daily Oral TDF/FTC for Pre-Exposure Prophylaxis in HIV-Uninfected Women

Visit cutoff date – December 13, 2022


Figure O4. COVID-19 Injection Disruption Plot – South Africa: Cape Town: Stellenbosch University (DTTC-SU) CRS



HPTN 084: A Phase 3 Double Blind Safety and Efficacy Study of Long-Acting Injectable Cabotegravir Compared to Daily Oral TDF/FTC for Pre-Exposure Prophylaxis in HIV-Uninfected Women

Visit cutoff date – December 13, 2022


Figure O4. COVID-19 Injection Disruption Plot – South Africa: Johannesburg: Ward 21



HPTN 084: A Phase 3 Double Blind Safety and Efficacy Study of Long-Acting Injectable Cabotegravir Compared to Daily Oral TDF/FTC for Pre-Exposure Prophylaxis in HIV-Uninfected Women

Visit cutoff date – December 13, 2022


Figure O4. COVID-19 Injection Disruption Plot – Swaziland: Siteki: Swaziland Prevention Center



HPTN 084: A Phase 3 Double Blind Safety and Efficacy Study of Long-Acting Injectable Cabotegravir Compared to Daily Oral TDF/FTC for Pre-Exposure Prophylaxis in HIV-Uninfected Women

Visit cutoff date – December 13, 2022

Figure O4. COVID-19 Injection Disruption Plot – Uganda: Kampala: Baylor-Uganda CRS



HPTN 084: A Phase 3 Double Blind Safety and Efficacy Study of Long-Acting Injectable Cabotegravir Compared to Daily Oral TDF/FTC for Pre-Exposure Prophylaxis in HIV-Uninfected Women

Visit cutoff date – December 13, 2022

Figure O4. COVID-19 Injection Disruption Plot – Uganda: Entebbe: UVRI-IAVI

