

HPTN 094 – INTEGRA: A Vanguard Study of Health Service Delivery in a Mobile Health Delivery Unit to Link Persons who Inject Drugs to Integrated Care and Prevention for Addiction, HIV, HCV and Primary Care
LIVE Open Report – December 3, 2025
Visit Cutoff Date: December 3, 2025
Table O1 – Screening Summary by Site

| | Overall | New York – Bronx Prevention | Los Angeles – Vine Street | Washington DC – Washington Circle | Houston AIDS Research Team CRS | Philadelphia |
|---|-----------------|------------------------------------|----------------------------------|--|---------------------------------------|---------------------|
| Total Participants Screened | 842 | 180 | 180 | 155 | 156 | 171 |
| Missing Status | 0/842 (0.0%) | 0/180 (0.0%) | 0/180 (0.0%) | 0/155 (0.0%) | 0/156 (0.0%) | 0/171 (0.0%) |
| Eligible and enrolled | 447/842 (53.1%) | 94/180 (52.2%) | 95/180 (52.8%) | 41/155 (26.5%) | 104/156 (66.7%) | 113/171 (66.1%) |
| Eligible/Not enrolled | 56/842 (6.7%) | 11/180 (6.1%) | 22/180 (12.2%) | 9/155 (5.8%) | 11/156 (7.1%) | 3/171 (1.8%) |
| Ineligible | 234/842 (27.8%) | 32/180 (17.8%) | 54/180 (30.0%) | 81/155 (52.3%) | 37/156 (23.7%) | 30/171 (17.5%) |
| Incomplete Screening | 105/842 (12.5%) | 43/180 (23.9%) | 9/180 (5.0%) | 24/155 (15.5%) | 4/156 (2.6%) | 25/171 (14.6%) |
| Reasons why participant is Eligible/Not Enrolled or Ineligible ¹ | | | | | | |
| Wasn't 18 to 60 years of age | 2/290 (0.7%) | 1/43 (2.3%) | 0/76 (0.0%) | 1/90 (1.1%) | 0/48 (0.0%) | 0/33 (0.0%) |
| Urine test wasn't positive for recent opioid use and/or no evidence of recent injection drug use | 117/290 (40.3%) | 9/43 (20.9%) | 24/76 (31.6%) | 43/90 (47.8%) | 33/48 (68.8%) | 8/33 (24.2%) |
| Wasn't diagnosed with OUD per Diagnostic and Statistical Manual of Mental Disorders | 6/290 (2.1%) | 1/43 (2.3%) | 2/76 (2.6%) | 2/90 (2.2%) | 0/48 (0.0%) | 1/33 (3.0%) |
| Wasn't able and/or willing to give informed consent | 0/290 (0.0%) | 0/43 (0.0%) | 0/76 (0.0%) | 0/90 (0.0%) | 0/48 (0.0%) | 0/33 (0.0%) |
| Wasn't willing to start MOUD treatment | 8/290 (2.8%) | 3/43 (7.0%) | 2/76 (2.6%) | 1/90 (1.1%) | 0/48 (0.0%) | 2/33 (6.1%) |
| Wasn't able to successfully complete an Assessment of Understanding | 1/290 (0.3%) | 0/43 (0.0%) | 0/76 (0.0%) | 0/90 (0.0%) | 0/48 (0.0%) | 1/33 (3.0%) |
| Did not report sharing injection equipment and/or condomless sex in the last three months with partners of HIV-positive or unknown status | 27/290 (9.3%) | 1/43 (2.3%) | 8/76 (10.5%) | 17/90 (18.9%) | 0/48 (0.0%) | 1/33 (3.0%) |
| Wasn't able to provide adequate locator information | 13/290 (4.5%) | 0/43 (0.0%) | 11/76 (14.5%) | 0/90 (0.0%) | 0/48 (0.0%) | 2/33 (6.1%) |
| HIV status not confirmed | 14/290 (4.8%) | 1/43 (2.3%) | 0/76 (0.0%) | 5/90 (5.6%) | 1/48 (2.1%) | 7/33 (21.2%) |
| Received MOUD in the 30 days prior to enrollment | 32/290 (11.0%) | 11/43 (25.6%) | 6/76 (7.9%) | 10/90 (11.1%) | 0/48 (0.0%) | 5/33 (15.2%) |
| Co-enrollment in another interventional study | 4/290 (1.4%) | 0/43 (0.0%) | 1/76 (1.3%) | 0/90 (0.0%) | 0/48 (0.0%) | 3/33 (9.1%) |
| Investigator decision | 9/290 (3.1%) | 1/43 (2.3%) | 7/76 (9.2%) | 1/90 (1.1%) | 0/48 (0.0%) | 0/33 (0.0%) |
| Individual changed their mind | 10/290 (3.4%) | 1/43 (2.3%) | 5/76 (6.6%) | 2/90 (2.2%) | 2/48 (4.2%) | 0/33 (0.0%) |
| Unable to contact/no show | 47/290 (16.2%) | 14/43 (32.6%) | 10/76 (13.2%) | 8/90 (8.9%) | 12/48 (25.0%) | 3/33 (9.1%) |
| Wasn't at least 18 years of age | 0/290 (0.0%) | 0/43 (0.0%) | 0/76 (0.0%) | 0/90 (0.0%) | 0/48 (0.0%) | 0/33 (0.0%) |
| Confirmed HIV Status for Enrolled Participants | | | | | | |
| Missing | 0/447 (0.0%) | 0/94 (0.0%) | 0/95 (0.0%) | 0/41 (0.0%) | 0/104 (0.0%) | 0/113 (0.0%) |
| Positive | 38/447 (8.5%) | 12/94 (12.8%) | 2/95 (2.1%) | 6/41 (14.6%) | 7/104 (6.7%) | 11/113 (9.7%) |
| Negative | 409/447 (91.5%) | 82/94 (87.2%) | 93/95 (97.9%) | 35/41 (85.4%) | 97/104 (93.3%) | 102/113 (90.3%) |

¹ Participants could have multiple reasons for not being enrolled.