

**CoVPN 5002 - SARS-COV-2 Prevalence Study
LIVE Open Report 31 January 2023**

Nasal Specimen Collection by Site

		Sites					
	Overall	Atlanta	Aurora, CO	Baltimore	Bronx	Chicago	
Total Participants Enrolled	26211	1643	839	1022	2560	1692	
Total participants with Nasal Specimen Collection CRF	26177	1641	839	1022	2541	1692	
Nasal mid-turbinate swab collected							
Yes	26062/26177 (99.6%)	1639/1641 (99.9%)	836/839 (99.6%)	1021/1022 (99.9%)	2539/2541 (99.9%)	1681/1692 (99.3%)	
Result obtained	25952/26062 (99.6%)	1623/1639 (99.0%)	832/836 (99.5%)	1020/1021 (99.9%)	2536/2539 (99.9%)	1679/1681 (99.9%)	
Result not obtained insufficient sample	128/26062 (0.5%)	14/1639 (0.9%)	5/836 (0.6%)	2/1021 (0.2%)	3/2539 (0.1%)	2/1681 (0.1%)	
Result not yet returned	97/26062 (0.4%)	4/1639 (0.2%)	2/836 (0.2%)	0/1021 (0.0%)	2/2539 (0.1%)	11/1681 (0.7%)	
No	115/26177 (0.4%)	2/1641 (0.1%)	3/839 (0.4%)	1/1022 (0.1%)	2/2541 (0.1%)	11/1692 (0.7%)	
Community Venues, total enrolled	22284	1489	839	877	2546	1246	
Community Venues, total participants with Nasal Specimen Collection CRF	22251	1487	839	877	2527	1246	
Nasal mid-turbinate swab collected							
Yes	22158/22251 (99.6%)	1485/1487 (99.9%)	836/839 (99.6%)	876/877 (99.9%)	2525/2527 (99.9%)	1236/1246 (99.2%)	
Result obtained	22068/22158 (99.6%)	1475/1485 (99.3%)	832/836 (99.5%)	875/876 (99.9%)	2522/2525 (99.9%)	1235/1236 (99.9%)	
Result not obtained insufficient sample	106/22158 (0.5%)	8/1485 (0.5%)	5/836 (0.6%)	2/876 (0.2%)	3/2525 (0.1%)	1/1236 (0.1%)	
Result not yet returned	77/22158 (0.3%)	4/1485 (0.3%)	2/836 (0.2%)	0/876 (0.0%)	2/2525 (0.1%)	10/1236 (0.8%)	
No	93/22251 (0.4%)	2/1487 (0.1%)	3/839 (0.4%)	1/877 (0.1%)	2/2527 (0.1%)	10/1246 (0.8%)	
Clinics, total enrolled	3121	154	0	145	14	335	
Clinics, total participants with Nasal Specimen Collection CRF	3120	154	0	145	14	335	
Nasal mid-turbinate swab collected							
Yes	3118/3120 (99.9%)	154/154 (100.0%)	-	145/145 (100.0%)	14/14 (100.0%)	335/335 (100.0%)	
Result obtained	3100/3118 (99.4%)	148/154 (96.1%)	-	145/145 (100.0%)	14/14 (100.0%)	335/335 (100.0%)	
Result not obtained insufficient sample	18/3118 (0.6%)	6/154 (3.9%)	-	0/145 (0.0%)	0/14 (0.0%)	0/335 (0.0%)	
Result not yet returned	2/3118 (0.1%)	0/154 (0.0%)	-	0/145 (0.0%)	0/14 (0.0%)	0/335 (0.0%)	
No	2/3120 (0.1%)	0/154 (0.0%)	-	0/145 (0.0%)	0/14 (0.0%)	0/335 (0.0%)	
Nursing Homes, total enrolled	806	0	0	0	0	111	
Nursing Homes, total participants with Nasal Specimen Collection CRF	806	0	0	0	0	111	
Nasal mid-turbinate swab collected							
Yes	786/806 (97.5%)	-	-	-	-	110/111 (99.1%)	
Result obtained	784/786 (99.7%)	-	-	-	-	109/110 (99.1%)	
Result not obtained insufficient sample	4/786 (0.5%)	-	-	-	-	1/110 (0.9%)	
Result not yet returned	18/786 (2.3%)	-	-	-	-	1/110 (0.9%)	
No	20/806 (2.5%)	-	-	-	-	1/111 (0.9%)	

**CoVPN 5002 - SARS-COV-2 Prevalence Study
LIVE Open Report 31 January 2023**

Nasal Specimen Collection by Site

	Sites					
	Cincinnati	Harlem	Houston	Miami	New Orleans	New York - Columbia
Total Participants Enrolled	1235	3175	1363	1480	2073	773
Total participants with Nasal Specimen Collection CRF	1235	3171	1361	1480	2070	772
Nasal mid-turbinate swab collected						
Yes	1231/1235 (99.7%)	3161/3171 (99.7%)	1350/1361 (99.2%)	1479/1480 (99.9%)	2022/2070 (97.7%)	771/772 (99.9%)
Result obtained	1224/1231 (99.4%)	3156/3161 (99.8%)	1310/1350 (97.0%)	1472/1479 (99.5%)	2017/2022 (99.8%)	768/771 (99.6%)
Result not obtained insufficient sample	7/1231 (0.6%)	5/3161 (0.2%)	47/1350 (3.5%)	7/1479 (0.5%)	16/2022 (0.8%)	3/771 (0.4%)
Result not yet returned	4/1231 (0.3%)	10/3161 (0.3%)	4/1350 (0.3%)	1/1479 (0.1%)	37/2022 (1.8%)	1/771 (0.1%)
No	4/1235 (0.3%)	10/3171 (0.3%)	11/1361 (0.8%)	1/1480 (0.1%)	48/2070 (2.3%)	1/772 (0.1%)
Community Venues, total enrolled						
	1188	2672	1174	1480	1799	508
Community Venues, total participants with Nasal Specimen Collection CRF						
	1188	2669	1172	1480	1796	507
Nasal mid-turbinate swab collected						
Yes	1184/1188 (99.7%)	2659/2669 (99.6%)	1161/1172 (99.1%)	1479/1480 (99.9%)	1767/1796 (98.4%)	506/507 (99.8%)
Result obtained	1178/1184 (99.5%)	2655/2659 (99.8%)	1123/1161 (96.7%)	1472/1479 (99.5%)	1763/1767 (99.8%)	505/506 (99.8%)
Result not obtained insufficient sample	6/1184 (0.5%)	4/2659 (0.2%)	45/1161 (3.9%)	7/1479 (0.5%)	13/1767 (0.7%)	1/506 (0.2%)
Result not yet returned	4/1184 (0.3%)	10/2659 (0.4%)	4/1161 (0.3%)	1/1479 (0.1%)	20/1767 (1.1%)	1/506 (0.2%)
No	4/1188 (0.3%)	10/2669 (0.4%)	11/1172 (0.9%)	1/1480 (0.1%)	29/1796 (1.6%)	1/507 (0.2%)
Clinics, total enrolled						
	35	503	157	0	73	265
Clinics, total participants with Nasal Specimen Collection CRF						
	35	502	157	0	73	265
Nasal mid-turbinate swab collected						
Yes	35/35 (100.0%)	502/502 (100.0%)	157/157 (100.0%)	-	73/73 (100.0%)	265/265 (100.0%)
Result obtained	34/35 (97.1%)	501/502 (99.8%)	155/157 (98.7%)	-	73/73 (100.0%)	263/265 (99.2%)
Result not obtained insufficient sample	1/35 (2.9%)	1/502 (0.2%)	2/157 (1.3%)	-	0/73 (0.0%)	2/265 (0.8%)
Result not yet returned	0/35 (0.0%)	0/502 (0.0%)	0/157 (0.0%)	-	0/73 (0.0%)	0/265 (0.0%)
No	0/35 (0.0%)	0/502 (0.0%)	0/157 (0.0%)	-	0/73 (0.0%)	0/265 (0.0%)
Nursing Homes, total enrolled						
	12	0	32	0	201	0
Nursing Homes, total participants with Nasal Specimen Collection CRF						
	12	0	32	0	201	0
Nasal mid-turbinate swab collected						
Yes	12/12 (100.0%)	-	32/32 (100.0%)	-	182/201 (90.5%)	-
Result obtained	12/12 (100.0%)	-	32/32 (100.0%)	-	181/182 (99.5%)	-
Result not obtained insufficient sample	0/12 (0.0%)	-	0/32 (0.0%)	-	3/182 (1.6%)	-
Result not yet returned	0/12 (0.0%)	-	0/32 (0.0%)	-	17/182 (9.3%)	-
No	0/12 (0.0%)	-	0/32 (0.0%)	-	19/201 (9.5%)	-

**CoVPN 5002 - SARS-COV-2 Prevalence Study
LIVE Open Report 31 January 2023**

Nasal Specimen Collection by Site

	Sites			
	Newark	Philadelphia	Pittsburgh	Ponce, Puerto Rico
Total Participants Enrolled	1123	2103	1303	3827
Total participants with Nasal Specimen Collection CRF	1121	2103	1302	3827
Nasal mid-turbinate swab collected				
Yes	1117/1121 (99.6%)	2094/2103 (99.6%)	1297/1302 (99.6%)	3824/3827 (99.9%)
Result obtained	1117/1117 (100.0%)	2094/2094 (100.0%)	1284/1297 (99.0%)	3820/3824 (99.9%)
Result not obtained insufficient sample	0/1117 (0.0%)	0/2094 (0.0%)	13/1297 (1.0%)	4/3824 (0.1%)
Result not yet returned	4/1117 (0.4%)	9/2094 (0.4%)	5/1297 (0.4%)	3/3824 (0.1%)
No	4/1121 (0.4%)	9/2103 (0.4%)	5/1302 (0.4%)	3/3827 (0.1%)
Community Venues, total enrolled				
	861	1564	1117	2924
Community Venues, total participants with Nasal Specimen Collection CRF				
	859	1564	1116	2924
Nasal mid-turbinate swab collected				
Yes	856/859 (99.7%)	1556/1564 (99.5%)	1111/1116 (99.6%)	2921/2924 (99.9%)
Result obtained	856/856 (100.0%)	1556/1556 (100.0%)	1104/1111 (99.4%)	2917/2921 (99.9%)
Result not obtained insufficient sample	0/856 (0.0%)	0/1556 (0.0%)	7/1111 (0.6%)	4/2921 (0.1%)
Result not yet returned	3/856 (0.4%)	8/1556 (0.5%)	5/1111 (0.5%)	3/2921 (0.1%)
No	3/859 (0.3%)	8/1564 (0.5%)	5/1116 (0.4%)	3/2924 (0.1%)
Clinics, total enrolled				
	262	539	139	500
Clinics, total participants with Nasal Specimen Collection CRF				
	262	539	139	500
Nasal mid-turbinate swab collected				
Yes	261/262 (99.6%)	538/539 (99.8%)	139/139 (100.0%)	500/500 (100.0%)
Result obtained	261/261 (100.0%)	538/538 (100.0%)	133/139 (95.7%)	500/500 (100.0%)
Result not obtained insufficient sample	0/261 (0.0%)	0/538 (0.0%)	6/139 (4.3%)	0/500 (0.0%)
Result not yet returned	1/261 (0.4%)	1/538 (0.2%)	0/139 (0.0%)	0/500 (0.0%)
No	1/262 (0.4%)	1/539 (0.2%)	0/139 (0.0%)	0/500 (0.0%)
Nursing Homes, total enrolled				
	0	0	47	403
Nursing Homes, total participants with Nasal Specimen Collection CRF				
	0	0	47	403
Nasal mid-turbinate swab collected				
Yes	-	-	47/47 (100.0%)	403/403 (100.0%)
Result obtained	-	-	47/47 (100.0%)	403/403 (100.0%)
Result not obtained insufficient sample	-	-	0/47 (0.0%)	0/403 (0.0%)
Result not yet returned	-	-	0/47 (0.0%)	0/403 (0.0%)
No	-	-	0/47 (0.0%)	0/403 (0.0%)