

**MTN 026 - Dapivirine Gel Rectal Safety and PK Study  
Data as of December 4, 2022**

**Visit Adherence: Completion of Procedures During Enrollment and Follow-up<sup>1</sup> by Site**

	<b>Birmingham, AI</b>	<b>Pittsburgh, PA</b>	<b>Bangkok, Thailand</b>	<b>All Sites</b>
Participants Enrolled	9	10	9	28
1. Physical Exam Required and Expected	18	20	18	56
Completed	18 (100.0%)	20 (100.0%)	18 (100.0%)	56 (100.0%)
2. Vital Signs Required and Expected	18	20	18	56
Completed	18 (100.0%)	20 (100.0%)	18 (100.0%)	56 (100.0%)
3. Sexual Lubricant Form Required and Expected	33	37	33	103
Completed	33 (100.0%)	37 (100.0%)	33 (100.0%)	103 (100.0%)
4. Pregnancy Test Required and Expected	0	23	13	36
Completed	0 (-%)	23 (100.0%)	13 (100.0%)	36 (100.0%)
5. Chemistries Required and Expected	17	18	18	53
Completed	17 (100.0%)	18 (100.0%)	18 (100.0%)	53 (100.0%)
6. Pelvic Exam Required and Expected	0	25	15	40
Completed	0 (-%)	25 (100.0%)	15 (100.0%)	40 (100.0%)
7. Rectal Exam Required and Expected	58	63	63	184
Completed	58 (100.0%)	63 (100.0%)	63 (100.0%)	184 (100.0%)
8. Plasma Archive Required and Expected	25	27	26	78
Completed	25 (100.0%)	27 (100.0%)	26 (100.0%)	78 (100.0%)
9. Plasma for PK Required and Expected	80	87	87	254
Completed	80 (100.0%)	86 (98.9%)	87 (100.0%)	253 (99.6%)
Partially Completed	-(-%)	1 (1.1%)	-(-%)	1 (0.4%)

<sup>1</sup> Protocol-required follow-up visit procedures are expected only once the visit window has closed, and only for participants who attend the visit. If a participant misses a visit, as documented by a Missed Visit eCRF, the procedures for that visit will not be included as expected.

**MTN 026 - Dapivirine Gel Rectal Safety and PK Study  
Data as of December 4, 2022**

**Visit Adherence: Completion of Procedures During Enrollment and Follow-up<sup>1</sup> by Site**

	Birmingham, AL	Pittsburgh, PA	Bangkok, Thailand	All Sites
10. HIV Tests Required and Expected	34	37	35	106
Completed	34 (100.0%)	37 (100.0%)	35 (100.0%)	106 (100.0%)
11. CVL for PD Required and Expected	0	13	9	22
Completed	0 (-%)	13 (100.0%)	9 (100.0%)	22 (100.0%)
12. Cervicovaginal Fluid for PK Required and Expected	0	13	9	22
Completed	0 (-%)	13 (100.0%)	9 (100.0%)	22 (100.0%)
13. Cervical Tissue for PK Required and Expected	0	13	9	22
Completed	0 (-%)	13 (100.0%)	9 (100.0%)	22 (100.0%)
14. Rectal Fluid for PK Required and Expected	48	53	51	152
Completed	48 (100.0%)	52 (98.1%)	51 (100.0%)	151 (99.3%)
Not Completed	-(-%)	1 (1.9%)	-(-%)	1 (0.7%)
15. Rectal Tissue for PK Required and Expected	32	35	34	101
Completed	32 (100.0%)	32 (91.4%)	34 (100.0%)	98 (97.0%)
Not Completed	-(-%)	3 (8.6%)	-(-%)	3 (3.0%)
16. Rectal Fluid for Mucosal Safety Required and Expected	25	28	25	78
Completed	25 (100.0%)	27 (96.4%)	25 (100.0%)	77 (98.7%)
Not Completed	-(-%)	1 (3.6%)	-(-%)	1 (1.3%)
17. Rectal Tissue for Mucosal Safety Required and Expected	25	28	25	78
Completed	25 (100.0%)	26 (92.9%)	25 (100.0%)	76 (97.4%)
Not Completed	-(-%)	2 (7.1%)	-(-%)	2 (2.6%)
18. Rectal Tissue for PD Required and Expected	41	45	43	129
Completed	41 (100.0%)	42 (93.3%)	43 (100.0%)	126 (97.7%)
Not Completed	-(-%)	3 (6.7%)	-(-%)	3 (2.3%)

<sup>1</sup> Protocol-required follow-up visit procedures are expected only once the visit window has closed, and only for participants who attend the visit. If a participant misses a visit, as documented by a Missed Visit eCRF, the procedures for that visit will not be included as expected.

**MTN 026 - Dapivirine Gel Rectal Safety and PK Study  
Data as of December 4, 2022**

**Visit Adherence: Completion of Procedures During Enrollment and Follow-up<sup>1</sup> by Site**

	<b>Birmingham, AI</b>	<b>Pittsburgh, PA</b>	<b>Bangkok, Thailand</b>	<b>All Sites</b>
19. Rectal Enema Effluent for PK/PD Required and Expected	33	35	36	104
Completed	33 (100.0%)	35 (100.0%)	35 (97.2%)	103 (99.0%)
Not Completed	-(-%)	-(-%)	1 (2.8%)	1 (1.0%)
20. Behavioural Assessment Required and Expected	25	27	25	77
Completed	25 (100.0%)	27 (100.0%)	25 (100.0%)	77 (100.0%)
21. In-depth Interview Required and Expected	16	17	16	49
Completed	13 (81.3%)	16 (94.1%)	16 (100.0%)	45 (91.8%)
Not Completed	3 (18.8%)	1 (5.9%)	-(-%)	4 (8.2%)

<sup>1</sup> Protocol-required follow-up visit procedures are expected only once the visit window has closed, and only for participants who attend the visit. If a participant misses a visit, as documented by a Missed Visit eCRF, the procedures for that visit will not be included as expected.